
AWS CodeDeploy

API Reference

API Version 2014-10-06



AWS CodeDeploy: API Reference

Copyright © 2017 Amazon Web Services, Inc. and/or its affiliates. All rights reserved.

Amazon's trademarks and trade dress may not be used in connection with any product or service that is not Amazon's, in any manner that is likely to cause confusion among customers, or in any manner that disparages or discredits Amazon. All other trademarks not owned by Amazon are the property of their respective owners, who may or may not be affiliated with, connected to, or sponsored by Amazon.

Table of Contents

Welcome	1
Actions	2
AddTagsToOnPremisesInstances	4
Request Syntax	4
Request Parameters	4
Response Elements	4
Errors	4
Example	5
See Also	5
BatchGetApplicationRevisions	7
Request Syntax	7
Request Parameters	7
Response Syntax	7
Response Elements	8
Errors	8
Example	9
See Also	10
BatchGetApplications	12
Request Syntax	12
Request Parameters	12
Response Syntax	12
Response Elements	12
Errors	12
Example	13
See Also	14
BatchGetDeploymentGroups	15
Request Syntax	15
Request Parameters	15
Response Syntax	15
Response Elements	17
Errors	17
Example	17
See Also	19
BatchGetDeploymentInstances	20
Request Syntax	20
Request Parameters	20
Response Syntax	20
Response Elements	21
Errors	21
Example	21
See Also	27
BatchGetDeployments	28
Request Syntax	28
Request Parameters	28
Response Syntax	28
Response Elements	30
Errors	30
Example	30
See Also	32
BatchGetOnPremisesInstances	33
Request Syntax	33
Request Parameters	33
Response Syntax	33
Response Elements	33
Errors	34

Example	34
See Also	35
ContinueDeployment	36
Request Syntax	36
Request Parameters	36
Response Elements	36
Errors	36
See Also	37
CreateApplication	38
Request Syntax	38
Request Parameters	38
Response Syntax	38
Response Elements	38
Errors	38
Example	39
See Also	39
CreateDeployment	41
Request Syntax	41
Request Parameters	41
Response Syntax	42
Response Elements	43
Errors	43
Example	44
See Also	45
CreateDeploymentConfig	46
Request Syntax	46
Request Parameters	46
Response Syntax	46
Response Elements	46
Errors	47
Example	47
See Also	48
CreateDeploymentGroup	49
Request Syntax	49
Request Parameters	50
Response Syntax	51
Response Elements	51
Errors	52
Example	53
See Also	54
DeleteApplication	55
Request Syntax	55
Request Parameters	55
Response Elements	55
Errors	55
Example	55
See Also	56
DeleteDeploymentConfig	57
Request Syntax	57
Request Parameters	57
Response Elements	57
Errors	57
Example	58
See Also	58
DeleteDeploymentGroup	59
Request Syntax	59
Request Parameters	59
Response Syntax	59

Response Elements	59
Errors	60
Example	60
See Also	61
DeregisterOnPremisesInstance	62
Request Syntax	62
Request Parameters	62
Response Elements	62
Errors	62
Example	62
See Also	63
GetApplication	64
Request Syntax	64
Request Parameters	64
Response Syntax	64
Response Elements	64
Errors	64
Example	65
See Also	65
GetApplicationRevision	67
Request Syntax	67
Request Parameters	67
Response Syntax	67
Response Elements	68
Errors	68
Example	69
See Also	70
GetDeployment	71
Request Syntax	71
Request Parameters	71
Response Syntax	71
Response Elements	73
Errors	73
Example	73
See Also	74
GetDeploymentConfig	75
Request Syntax	75
Request Parameters	75
Response Syntax	75
Response Elements	75
Errors	75
Example	76
See Also	76
GetDeploymentGroup	78
Request Syntax	78
Request Parameters	78
Response Syntax	78
Response Elements	80
Errors	80
Example	80
See Also	82
GetDeploymentInstance	83
Request Syntax	83
Request Parameters	83
Response Syntax	83
Response Elements	84
Errors	84
Example	84

See Also	86
GetOnPremisesInstance	88
Request Syntax	88
Request Parameters	88
Response Syntax	88
Response Elements	88
Errors	88
Example	89
See Also	90
ListApplicationRevisions	91
Request Syntax	91
Request Parameters	91
Response Syntax	92
Response Elements	92
Errors	93
Example	93
See Also	95
ListApplications	96
Request Syntax	96
Request Parameters	96
Response Syntax	96
Response Elements	96
Errors	96
Example	97
See Also	97
ListDeploymentConfigs	98
Request Syntax	98
Request Parameters	98
Response Syntax	98
Response Elements	98
Errors	98
Example	99
See Also	99
ListDeploymentGroups	101
Request Syntax	101
Request Parameters	101
Response Syntax	101
Response Elements	101
Errors	102
Example	102
See Also	103
ListDeploymentInstances	104
Request Syntax	104
Request Parameters	104
Response Syntax	105
Response Elements	105
Errors	105
Example	106
See Also	106
ListDeployments	107
Request Syntax	107
Request Parameters	107
Response Syntax	108
Response Elements	108
Errors	108
Example	109
See Also	109
ListOnPremisesInstances	111

Request Syntax	111
Request Parameters	111
Response Syntax	111
Response Elements	112
Errors	112
Example	112
See Also	113
RegisterApplicationRevision	114
Request Syntax	114
Request Parameters	114
Response Elements	114
Errors	114
Example	115
See Also	116
RegisterOnPremisesInstance	117
Request Syntax	117
Request Parameters	117
Response Elements	117
Errors	117
Example	118
See Also	119
RemoveTagsFromOnPremisesInstances	120
Request Syntax	120
Request Parameters	120
Response Elements	120
Errors	120
Example	121
See Also	121
SkipWaitTimeForInstanceTermination	123
Request Syntax	123
Request Parameters	123
Response Elements	123
Errors	123
See Also	124
StopDeployment	125
Request Syntax	125
Request Parameters	125
Response Syntax	125
Response Elements	125
Errors	126
Example	126
See Also	127
UpdateApplication	128
Request Syntax	128
Request Parameters	128
Response Elements	128
Errors	128
Example	129
See Also	129
UpdateDeploymentGroup	130
Request Syntax	130
Request Parameters	131
Response Syntax	132
Response Elements	133
Errors	133
Example	135
See Also	135
Data Types	137

Alarm	139
Contents	139
See Also	139
AlarmConfiguration	140
Contents	140
See Also	140
ApplicationInfo	141
Contents	141
See Also	141
AutoRollbackConfiguration	142
Contents	142
See Also	142
AutoScalingGroup	143
Contents	143
See Also	143
BlueGreenDeploymentConfiguration	144
Contents	144
See Also	144
BlueInstanceTerminationOption	145
Contents	145
See Also	145
DeploymentConfigInfo	146
Contents	146
See Also	146
DeploymentGroupInfo	147
Contents	147
See Also	148
DeploymentInfo	149
Contents	149
See Also	151
DeploymentOverview	152
Contents	152
See Also	152
DeploymentReadyOption	153
Contents	153
See Also	153
DeploymentStyle	154
Contents	154
See Also	154
Diagnostics	155
Contents	155
See Also	155
EC2TagFilter	156
Contents	156
See Also	156
ELBInfo	157
Contents	157
See Also	157
ErrorInformation	158
Contents	158
See Also	158
GenericRevisionInfo	160
Contents	160
See Also	160
GitHubLocation	161
Contents	161
See Also	161
GreenFleetProvisioningOption	162

Contents	162
See Also	162
InstanceInfo	163
Contents	163
See Also	163
InstanceSummary	164
Contents	164
See Also	164
LifecycleEvent	166
Contents	166
See Also	166
LoadBalancerInfo	167
Contents	167
See Also	167
MinimumHealthyHosts	168
Contents	168
See Also	168
RevisionInfo	169
Contents	169
See Also	169
RevisionLocation	170
Contents	170
See Also	170
RollbackInfo	171
Contents	171
See Also	171
S3Location	172
Contents	172
See Also	172
Tag	173
Contents	173
See Also	173
TagFilter	174
Contents	174
See Also	174
TargetInstances	175
Contents	175
See Also	175
TimeRange	176
Contents	176
See Also	176
TriggerConfig	177
Contents	177
See Also	177
Common Parameters	178
Common Errors	180

Welcome

Overview

This reference guide provides descriptions of the AWS CodeDeploy APIs. For more information about AWS CodeDeploy, see the [AWS CodeDeploy User Guide](#).

Using the APIs

You can use the AWS CodeDeploy APIs to work with the following:

- Applications are unique identifiers used by AWS CodeDeploy to ensure the correct combinations of revisions, deployment configurations, and deployment groups are being referenced during deployments.
You can use the AWS CodeDeploy APIs to create, delete, get, list, and update applications.
- Deployment configurations are sets of deployment rules and success and failure conditions used by AWS CodeDeploy during deployments.
You can use the AWS CodeDeploy APIs to create, delete, get, and list deployment configurations.
- Deployment groups are groups of instances to which application revisions can be deployed.
You can use the AWS CodeDeploy APIs to create, delete, get, list, and update deployment groups.
- Instances represent Amazon EC2 instances to which application revisions are deployed. Instances are identified by their Amazon EC2 tags or Auto Scaling group names. Instances belong to deployment groups.
You can use the AWS CodeDeploy APIs to get and list instance.
- Deployments represent the process of deploying revisions to instances.
You can use the AWS CodeDeploy APIs to create, get, list, and stop deployments.
- Application revisions are archive files stored in Amazon S3 buckets or GitHub repositories. These revisions contain source content (such as source code, web pages, executable files, and deployment scripts) along with an application specification (AppSpec) file. (The AppSpec file is unique to AWS CodeDeploy; it defines the deployment actions you want AWS CodeDeploy to execute.) For application revisions stored in Amazon S3 buckets, an application revision is uniquely identified by its Amazon S3 object key and its ETag, version, or both. For application revisions stored in GitHub repositories, an application revision is uniquely identified by its repository name and commit ID. Application revisions are deployed through deployment groups.
You can use the AWS CodeDeploy APIs to get, list, and register application revisions.

This document was last published on February 21, 2017.

Actions

The following actions are supported:

- [AddTagsToOnPremisesInstances](#) (p. 4)
- [BatchGetApplicationRevisions](#) (p. 7)
- [BatchGetApplications](#) (p. 12)
- [BatchGetDeploymentGroups](#) (p. 15)
- [BatchGetDeploymentInstances](#) (p. 20)
- [BatchGetDeployments](#) (p. 28)
- [BatchGetOnPremisesInstances](#) (p. 33)
- [ContinueDeployment](#) (p. 36)
- [CreateApplication](#) (p. 38)
- [CreateDeployment](#) (p. 41)
- [CreateDeploymentConfig](#) (p. 46)
- [CreateDeploymentGroup](#) (p. 49)
- [DeleteApplication](#) (p. 55)
- [DeleteDeploymentConfig](#) (p. 57)
- [DeleteDeploymentGroup](#) (p. 59)
- [DeregisterOnPremisesInstance](#) (p. 62)
- [GetApplication](#) (p. 64)
- [GetApplicationRevision](#) (p. 67)
- [GetDeployment](#) (p. 71)
- [GetDeploymentConfig](#) (p. 75)
- [GetDeploymentGroup](#) (p. 78)
- [GetDeploymentInstance](#) (p. 83)
- [GetOnPremisesInstance](#) (p. 88)
- [ListApplicationRevisions](#) (p. 91)
- [ListApplications](#) (p. 96)
- [ListDeploymentConfigs](#) (p. 98)
- [ListDeploymentGroups](#) (p. 101)
- [ListDeploymentInstances](#) (p. 104)
- [ListDeployments](#) (p. 107)
- [ListOnPremisesInstances](#) (p. 111)

- [RegisterApplicationRevision](#) (p. 114)
- [RegisterOnPremisesInstance](#) (p. 117)
- [RemoveTagsFromOnPremisesInstances](#) (p. 120)
- [SkipWaitTimeForInstanceTermination](#) (p. 123)
- [StopDeployment](#) (p. 125)
- [UpdateApplication](#) (p. 128)
- [UpdateDeploymentGroup](#) (p. 130)

AddTagsToOnPremisesInstances

Adds tags to on-premises instances.

Request Syntax

```
{
  "instanceNames": [ "string" ],
  "tags": [
    {
      "Key": "string",
      "Value": "string"
    }
  ]
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters \(p. 178\)](#).

The request accepts the following data in JSON format.

instanceNames (p. 4)

The names of the on-premises instances to which to add tags.

Type: array of Strings

Required: Yes

tags (p. 4)

The tag key-value pairs to add to the on-premises instances.

Keys and values are both required. Keys cannot be null or empty strings. Value-only tags are not allowed.

Type: array of [Tag \(p. 173\)](#) objects

Required: Yes

Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

Errors

For information about the errors that are common to all actions, see [Common Errors \(p. 180\)](#).

InstanceLimitExceededException

The maximum number of allowed on-premises instances in a single call was exceeded.

HTTP Status Code: 400

InstanceNameRequiredException

An on-premises instance name was not specified.

HTTP Status Code: 400

InstanceNotRegisteredException

The specified on-premises instance is not registered.

HTTP Status Code: 400

InvalidTagException

The specified tag was specified in an invalid format.

HTTP Status Code: 400

TagLimitExceededException

The maximum allowed number of tags was exceeded.

HTTP Status Code: 400

TagRequiredException

A tag was not specified.

HTTP Status Code: 400

Example

Sample Request

```
POST / HTTP/1.1
Host: codedeploy.us-east-1.amazonaws.com
Accept-Encoding: identity
Content-Length: 105
X-Amz-Target: CodeDeploy_20141006.AddTagsToOnPremisesInstances
X-Amz-Date: 20160707T225742Z
User-Agent: aws-cli/1.10.6 Python/2.7.9 Windows/7 botocore/1.3.28
Content-Type: application/x-amz-json-1.1
Authorization: AWS4-HMAC-SHA256 Credential=AKIAIOSFODNN7EXAMPLE/20160707/us-east-1/codedeploy/aws4_request,
SignedHeaders=content-type;host;user-agent;x-amz-date;x-amz-target,
Signature=39c3b3042cd2aEXAMPLE

{
  "instanceNames": [
    "grp-b-inst-2",
    "grp-b-inst-1"
  ],
  "tags": [
    {
      "Key": "Name",
      "Value": "Cost-Center-456"
    }
  ]
}
```

Sample Response

```
HTTP/1.1 200 OK
x-amzn-RequestId: 4ccc9cf0-88c9-11e5-8ce3-2704437d0309
Content-Type: application/x-amz-json-1.1
Content-Length: 0
```

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)

- [AWS SDK for Go](#)
- [AWS SDK for Java](#)
- [AWS SDK for JavaScript](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V2](#)

BatchGetApplicationRevisions

Gets information about one or more application revisions.

Request Syntax

```
{
  "applicationName": "string",
  "revisions": [
    {
      "gitHubLocation": {
        "commitId": "string",
        "repository": "string"
      },
      "revisionType": "string",
      "s3Location": {
        "bucket": "string",
        "bundleType": "string",
        "eTag": "string",
        "key": "string",
        "version": "string"
      }
    }
  ]
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#) (p. 178).

The request accepts the following data in JSON format.

applicationName (p. 7)

The name of an AWS CodeDeploy application about which to get revision information.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 100.

Required: Yes

revisions (p. 7)

Information to get about the application revisions, including type and location.

Type: array of [RevisionLocation](#) (p. 170) objects

Required: Yes

Response Syntax

```
{
  "applicationName": "string",
  "errorMessage": "string",
  "revisions": [
    {
      "genericRevisionInfo": {
        "deploymentGroups": [ "string" ],
        "description": "string",

```



```
    "firstUsedTime": number,
    "lastUsedTime": number,
    "registerTime": number
  },
  "revisionLocation": {
    "gitHubLocation": {
      "commitId": "string",
      "repository": "string"
    },
    "revisionType": "string",
    "s3Location": {
      "bucket": "string",
      "bundleType": "string",
      "eTag": "string",
      "key": "string",
      "version": "string"
    }
  }
}
]
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response. The following data is returned in JSON format by the service.

applicationName (p. 7)

The name of the application that corresponds to the revisions.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 100.

errorMessage (p. 7)

Information about errors that may have occurred during the API call.

Type: String

revisions (p. 7)

Additional information about the revisions, including the type and location.

Type: array of [RevisionInfo](#) (p. 169) objects

Errors

For information about the errors that are common to all actions, see [Common Errors](#) (p. 180).

ApplicationDoesNotExistException

The application does not exist with the applicable IAM user or AWS account.

HTTP Status Code: 400

ApplicationNameRequiredException

The minimum number of required application names was not specified.

HTTP Status Code: 400

BatchLimitExceededException

The maximum number of names or IDs allowed for this request (100) was exceeded.

HTTP Status Code: 400

InvalidApplicationNameException

The application name was specified in an invalid format.

HTTP Status Code: 400

InvalidRevisionException

The revision was specified in an invalid format.

HTTP Status Code: 400

RevisionRequiredException

The revision ID was not specified.

HTTP Status Code: 400

Example

Sample Request

```
POST / HTTP/1.1
Host: codedeploy.us-east-1.amazonaws.com
Accept-Encoding: identity
Content-Length: 284
X-Amz-Target: CodeDeploy_20141006.BatchGetApplicationRevisions
X-Amz-Date: 20160707T172627Z
User-Agent: aws-cli/1.10.6 Python/2.7.9 Windows/7 botocore/1.3.28
Content-Type: application/x-amz-json-1.1
Authorization: AWS4-HMAC-SHA256 Credential=AKIAIOSFODNN7EXAMPLE/20160707/us-east-1/codedeploy/aws4_request,
SignedHeaders=content-type;host;user-agent;x-amz-date;x-amz-target,
Signature=39c3b3042cd2aEXAMPLE

{
  "applicationName": "TestApp-us-east-1",
  "revisions": [
    {
      "revisionType": "S3",
      "s3Location": {
        "bundleType": "zip",
        "version": "4eQLXx7nw0iP22hxwt2_YXrUq972qkG6",
        "bucket": "project-123",
        "key": "North-App.zip",
        "eTag": "3fdd7b9196697a096d5af1d649e26a4a"
      }
    },
    {
      "revisionType": "S3",
      "s3Location": {
        "bundleType": "zip",
        "version": "BXrUq974e0iP22hxwt2_QLXx7nw3kjB9",
        "bucket": "project-123",
        "key": "North-App-2.zip",
        "eTag": "4hfj7b911d649e26a4a45390a096d5af"
      }
    }
  ]
}
```

Sample Response

```
{
  "applicationName": "TestApp-us-east-1",
```

```

"errorMessage": "",
"revisions": [
  {
    "genericRevisionInfo": {
      "deploymentGroups": [
        "dep-group-def-456"
      ],
      "description": "Application revision registered by Deployment
ID: d-D1EGTDV3C",
      "firstUsedTime": 1446232255.734,
      "lastUsedTime": 1446232255.734,
      "registerTime": 1446232255.734
    },
    "revisionType": "S3",
    "s3Location": {
      "bucket": "project-1234",
      "bundleType": "zip",
      "eTag": "3fdd7b9196697a096d5af1d649e26a4a",
      "key": "North-App.zip",
      "version": "4eQLXx7nw0iP22hxwt2_YXrUq972qkG6"
    }
  },
  {
    "genericRevisionInfo": {
      "deploymentGroups": [
        "dep-group-def-456"
      ],
      "description": "Application revision registered by Deployment
ID: d-F8ROHSIK3K",
      "firstUsedTime": 1455988916.108,
      "lastUsedTime": 1455988916.288,
      "registerTime": 1455988912.217
    },
    "revisionType": "S3",
    "s3Location": {
      "bucket": "project-1234",
      "bundleType": "zip",
      "eTag": "4hfj7b911d649e26a4a45390a096d5af",
      "key": "North-App-2.zip",
      "version": "BXRuq974e0iP22hxwt2_QLXx7nw3kjB9"
    }
  }
]
}

```

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java](#)
- [AWS SDK for JavaScript](#)
- [AWS SDK for PHP V3](#)

- [AWS SDK for Python](#)
- [AWS SDK for Ruby V2](#)

BatchGetApplications

Gets information about one or more applications.

Request Syntax

```
{  
  "applicationNames": [ "string" ]  
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters \(p. 178\)](#).

The request accepts the following data in JSON format.

applicationNames (p. 12)

A list of application names separated by spaces.

Type: array of Strings

Length Constraints: Minimum length of 1. Maximum length of 100.

Required: No

Response Syntax

```
{  
  "applicationsInfo": [  
    {  
      "applicationId": "string",  
      "applicationName": "string",  
      "createTime": number,  
      "linkedToGitHub": boolean  
    }  
  ]  
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

applicationsInfo (p. 12)

Information about the applications.

Type: array of [ApplicationInfo \(p. 141\)](#) objects

Errors

For information about the errors that are common to all actions, see [Common Errors \(p. 180\)](#).

ApplicationDoesNotExistException

The application does not exist with the applicable IAM user or AWS account.

HTTP Status Code: 400

ApplicationNameRequiredException

The minimum number of required application names was not specified.

HTTP Status Code: 400

BatchLimitExceededException

The maximum number of names or IDs allowed for this request (100) was exceeded.

HTTP Status Code: 400

InvalidApplicationNameException

The application name was specified in an invalid format.

HTTP Status Code: 400

Example

Sample Request

```
POST / HTTP/1.1
Host: codedeploy.us-east-1.amazonaws.com
Accept-Encoding: identity
Content-Length: 81
X-Amz-Target: CodeDeploy_20141006.BatchGetApplications
X-Amz-Date: 20160707T230945Z
User-Agent: aws-cli/1.10.6 Python/2.7.9 Windows/7 botocore/1.3.28
Content-Type: application/x-amz-json-1.1
Authorization: AWS4-HMAC-SHA256 Credential=AKIAIOSFODNN7EXAMPLE/20160707/us-east-1/codedeploy/aws4_request,
SignedHeaders=content-type;host;user-agent;x-amz-date;x-amz-target,
Signature=39c3b3042cd2aEXAMPLE

{
  "applicationNames": [
    "ProductionApp-us-east-1",
    "ProductionApp-us-west-2"
  ]
}
```

Sample Response

```
HTTP/1.1 200 OK
x-amzn-RequestId: 4ccc9cf0-88c9-11e5-8ce3-2704437d0309
Content-Type: application/x-amz-json-1.1
Content-Length: 335

{
  "applicationsInfo": [
    {
      "applicationId": "d8347436-bc51-459e-9c44-f98abEXAMPLE",
      "applicationName": "ProductionApp-us-west-2",
      "createTime": 1446136767.311,
      "linkedToGitHub": false
    },
    {
      "applicationId": "1ecfe802-63f1-4038-8f0d-06688EXAMPLE",
      "applicationName": "ProductionApp-us-east-1",
      "createTime": 1439488406.152,
    }
  ]
}
```

```
        "linkedToGitHub": false
    }
  ]
}
```

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java](#)
- [AWS SDK for JavaScript](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V2](#)

BatchGetDeploymentGroups

Gets information about one or more deployment groups.

Request Syntax

```
{  
  "applicationName": "string",  
  "deploymentGroupNames": [ "string" ]  
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#) (p. 178).

The request accepts the following data in JSON format.

applicationName (p. 15)

The name of an AWS CodeDeploy application associated with the applicable IAM user or AWS account.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 100.

Required: Yes

deploymentGroupNames (p. 15)

The deployment groups' names.

Type: array of Strings

Length Constraints: Minimum length of 1. Maximum length of 100.

Required: Yes

Response Syntax

```
{  
  "deploymentGroupsInfo": [  
    {  
      "alarmConfiguration": {  
        "alarms": [  
          {  
            "name": "string"  
          }  
        ],  
        "enabled": boolean,  
        "ignorePollAlarmFailure": boolean  
      },  
      "applicationName": "string",  
      "autoRollbackConfiguration": {  
        "enabled": boolean,  
        "events": [ "string" ]  
      },  
      "autoScalingGroups": [  
        {  
          "hook": "string",  
          "name": "string"  
        }  
      ]  
    }  
  ]  
}
```



```

],
"blueGreenDeploymentConfiguration": {
  "deploymentReadyOption": {
    "actionOnTimeout": "string",
    "waitTimeInMinutes": number
  },
  "greenFleetProvisioningOption": {
    "action": "string"
  },
  "terminateBlueInstancesOnDeploymentSuccess": {
    "action": "string",
    "terminationWaitTimeInMinutes": number
  }
},
"deploymentConfigName": "string",
"deploymentGroupId": "string",
"deploymentGroupName": "string",
"deploymentStyle": {
  "deploymentOption": "string",
  "deploymentType": "string"
},
"ec2TagFilters": [
  {
    "Key": "string",
    "Type": "string",
    "Value": "string"
  }
],
"loadBalancerInfo": {
  "elbInfoList": [
    {
      "name": "string"
    }
  ]
},
"onPremisesInstanceTagFilters": [
  {
    "Key": "string",
    "Type": "string",
    "Value": "string"
  }
],
"serviceRoleArn": "string",
"targetRevision": {
  "gitHubLocation": {
    "commitId": "string",
    "repository": "string"
  },
  "revisionType": "string",
  "s3Location": {
    "bucket": "string",
    "bundleType": "string",
    "eTag": "string",
    "key": "string",
    "version": "string"
  }
},
"triggerConfigurations": [
  {

```

```
        "triggerEvents": [ "string" ],
        "triggerName": "string",
        "triggerTargetArn": "string"
      }
    ]
  },
  "errorMessage": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response. The following data is returned in JSON format by the service.

deploymentGroupsInfo (p. 15)

Information about the deployment groups.

Type: array of [DeploymentGroupInfo](#) (p. 147) objects

errorMessage (p. 15)

Information about errors that may have occurred during the API call.

Type: String

Errors

For information about the errors that are common to all actions, see [Common Errors](#) (p. 180).

ApplicationDoesNotExistException

The application does not exist with the applicable IAM user or AWS account.

HTTP Status Code: 400

ApplicationNameRequiredException

The minimum number of required application names was not specified.

HTTP Status Code: 400

BatchLimitExceededException

The maximum number of names or IDs allowed for this request (100) was exceeded.

HTTP Status Code: 400

DeploymentGroupNameRequiredException

The deployment group name was not specified.

HTTP Status Code: 400

InvalidApplicationNameException

The application name was specified in an invalid format.

HTTP Status Code: 400

InvalidDeploymentGroupNameException

The deployment group name was specified in an invalid format.

HTTP Status Code: 400

Example

Sample Request

```
POST / HTTP/1.1
```

AWS CodeDeploy API Reference Example

```
Host: codedeploy.us-east-1.amazonaws.com
Accept-Encoding: identity
Content-Length: 90
X-Amz-Target: CodeDeploy_20141006.BatchGetDeploymentGroups
X-Amz-Date: 20160317T175340Z
User-Agent: aws-cli/1.10.6 Python/2.7.9 Windows/7 botocore/1.3.28
Content-Type: application/x-amz-json-1.1
Authorization: AWS4-HMAC-SHA256 Credential=AKIAIOSFODNN7EXAMPLE/20160317/us-
east-1/codedeploy/aws4_request,
SignedHeaders=content-type;host;user-agent;x-amz-date;x-amz-target,
Signature=39c3b3042cd2aEXAMPLE

{
  "applicationName": "TestApp-us-east-1",
  "deploymentGroupNames": [
    "dep-group-def-456",
    "dep-group-jkl-234"
  ]
}
```

Sample Response

```
{
  "deploymentGroupsInfo": [
    {
      "applicationName": "TestApp-us-east-1",
      "deploymentConfigName": "CodeDeployDefault.OneAtATime",
      "deploymentGroupId": "d-DBF57CS3H",
      "deploymentGroupName": "dep-group-def-456",
      "ec2TagFilters": [
        {
          "Key": "Name",
          "Type": "KEY_AND_VALUE",
          "Value": "Project-ABC"
        }
      ],
      "serviceRoleArn": "arn:aws:iam::444455556666:role/AnyCompany-
service-role",
      "targetRevision": {
        "revisionType": "S3",
        "s3Location": {
          "bucket": "project-abc",
          "bundleType": "zip",
          "eTag": "ffe5402cff48b652bf903700453f7408",
          "key": "North-App-3.zip",
          "version": "4eQLXx7nw0iP22hxwt2_YXrUq972qkG6"
        }
      },
      "triggerConfigurations": [
        {
          "triggerEvents": [
            "DeploymentFailure"
          ],
          "triggerName": "Trigger-group-us-east-1-deploy-fail",
          "triggerTargetArn": "arn:aws:sns:us-
east-1:80398EXAMPLE:us-east-deploy-fail"
        }
      ]
    }
  ]
}
```

```
    },
    {
      "applicationName": "TestApp-us-east-1",
      "deploymentConfigName": "CodeDeployDefault.OneAtATime",
      "deploymentGroupId": "d-DCS73HBF5",
      "deploymentGroupName": "dep-group-def-456",
      "ec2TagFilters": [
        {
          "Key": "Name",
          "Type": "KEY_AND_VALUE",
          "Value": "Project-DEF"
        }
      ],
      "serviceRoleArn": "arn:aws:iam::444455556666:role/AnyCompany-
service-role",
      "targetRevision": {
        "revisionType": "S3",
        "s3Location": {
          "bucket": "project-def",
          "bundleType": "zip",
          "eTag": "3fdd7b9196697a096d5af1d649e26a4a",
          "key": "North-App-3.zip",
          "version": "BXRuQ974e0iP22hxwt2_QLXx7nw3kjB9"
        }
      },
      "triggerConfigurations": [
        {
          "triggerEvents": [
            "DeploymentSuccess"
          ],
          "triggerName": "Trigger-group-us-east-1-deploy-succeed",
          "triggerTargetArn": "arn:aws:sns:us-
east-1:80398EXAMPLE:us-east-deploy-succeed"
        }
      ]
    },
    "errorMessage": ""
  }
}
```

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java](#)
- [AWS SDK for JavaScript](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V2](#)

BatchGetDeploymentInstances

Gets information about one or more instance that are part of a deployment group.

Request Syntax

```
{
  "deploymentId": "string",
  "instanceIds": [ "string" ]
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#) (p. 178).

The request accepts the following data in JSON format.

deploymentId (p. 20)

The unique ID of a deployment.

Type: String

Required: Yes

instanceIds (p. 20)

The unique IDs of instances in the deployment group.

Type: array of Strings

Required: Yes

Response Syntax

```
{
  "errorMessage": "string",
  "instancesSummary": [
    {
      "deploymentId": "string",
      "instanceId": "string",
      "instanceType": "string",
      "lastUpdatedAt": number,
      "lifecycleEvents": [
        {
          "diagnostics": {
            "errorCode": "string",
            "logTail": "string",
            "message": "string",
            "scriptName": "string"
          },
          "endTime": number,
          "lifecycleEventName": "string",
          "startTime": number,
          "status": "string"
        }
      ],
      "status": "string"
    }
  ]
}
```

```
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response. The following data is returned in JSON format by the service.

errorMessage (p. 20)

Information about errors that may have occurred during the API call.

Type: String

instancesSummary (p. 20)

Information about the instance.

Type: array of [InstanceSummary](#) (p. 164) objects

Errors

For information about the errors that are common to all actions, see [Common Errors](#) (p. 180).

BatchLimitExceededException

The maximum number of names or IDs allowed for this request (100) was exceeded.

HTTP Status Code: 400

DeploymentDoesNotExistException

The deployment does not exist with the applicable IAM user or AWS account.

HTTP Status Code: 400

DeploymentIdRequiredException

At least one deployment ID must be specified.

HTTP Status Code: 400

InstanceIdRequiredException

The instance ID was not specified.

HTTP Status Code: 400

InvalidDeploymentIdException

At least one of the deployment IDs was specified in an invalid format.

HTTP Status Code: 400

InvalidInstanceNameException

The specified on-premises instance name was specified in an invalid format.

HTTP Status Code: 400

Example

Sample Request

```
POST / HTTP/1.1
Host: codedeploy.us-east-1.amazonaws.com
Accept-Encoding: identity
Content-Length: 90
X-Amz-Target: CodeDeploy_20141006.BatchGetDeploymentInstances
X-Amz-Date: 20160707T175340Z
User-Agent: aws-cli/1.10.6 Python/2.7.9 Windows/7 botocore/1.3.28
Content-Type: application/x-amz-json-1.1
Authorization: AWS4-HMAC-SHA256 Credential=AKIAIOSFODNN7EXAMPLE/20160707/us-east-1/codedeploy/aws4_request,
```

```
SignedHeaders=content-type;host;user-agent;x-amz-date;x-amz-target,  
Signature=39c3b3042cd2aEXAMPLE
```

```
{  
  "deploymentId": "d-DXT57CS2G",  
  "instanceIds": [  
    "i-2b4a36ad00EXAMPLE",  
    "i-384a57d300EXAMPLE",  
    "i-623g53b300EXAMPLE"  
  ]  
}
```

Sample Response

```
{  
  "errorMessage": "",  
  "instancesSummary": [  
    {  
      "deploymentId": "d-DXT57CS2G",  
      "instanceId": "arn:aws:ec2:us-east-1:803981987763:instance/  
i-623g53b300EXAMPLE",  
      "lastUpdatedAt": 1455988938.931,  
      "lifecycleEvents": [  
        {  
          "diagnostics": {  
            "errorCode": "Success",  
            "logTail": "",  
            "message": "Succeeded",  
            "scriptName": ""  
          },  
          "endTime": 1455988923.454,  
          "lifecycleEventName": "ApplicationStop",  
          "startTime": 1455988923.284,  
          "status": "Succeeded"  
        },  
        {  
          "diagnostics": {  
            "errorCode": "Success",  
            "logTail": "",  
            "message": "Succeeded",  
            "scriptName": ""  
          },  
          "endTime": 1455988925.903,  
          "lifecycleEventName": "DownloadBundle",  
          "startTime": 1455988925.574,  
          "status": "Succeeded"  
        },  
        {  
          "diagnostics": {  
            "errorCode": "Success",  
            "logTail": "",  
            "message": "Succeeded",  
            "scriptName": ""  
          },  
          "endTime": 1455988927.731,  
          "lifecycleEventName": "BeforeInstall",  
          "startTime": 1455988927.011,  
          "status": "Succeeded"  
        }  
      ]  
    }  
  ]  
}
```

AWS CodeDeploy API Reference
Example

```
    },
    {
      "diagnostics": {
        "errorCode": "Success",
        "logTail": "",
        "message": "Succeeded",
        "scriptName": ""
      },
      "endTime": 1455988931.435,
      "lifecycleEventName": "Install",
      "startTime": 1455988931.272,
      "status": "Succeeded"
    },
    {
      "diagnostics": {
        "errorCode": "Success",
        "logTail": "",
        "message": "Succeeded",
        "scriptName": ""
      },
      "endTime": 1455988933.129,
      "lifecycleEventName": "AfterInstall",
      "startTime": 1455988932.951,
      "status": "Succeeded"
    },
    {
      "diagnostics": {
        "errorCode": "Success",
        "logTail": "",
        "message": "Succeeded",
        "scriptName": ""
      },
      "endTime": 1455988935.599,
      "lifecycleEventName": "ApplicationStart",
      "startTime": 1455988935.459,
      "status": "Succeeded"
    },
    {
      "diagnostics": {
        "errorCode": "Success",
        "logTail": "",
        "message": "Succeeded",
        "scriptName": ""
      },
      "endTime": 1455988937.286,
      "lifecycleEventName": "ValidateService",
      "startTime": 1455988937.166,
      "status": "Succeeded"
    }
  ],
  "status": "Succeeded"
},
{
  "deploymentId": "d-DXT57CS2G",
  "instanceId": "arn:aws:ec2:us-east-1:803981987763:instance/i-384a57d300EXAMPLE",
  "lastUpdatedAt": 1455988921.266,
  "lifecycleEvents": [
    {
```


AWS CodeDeploy API Reference
Example

```
"diagnostics": {
  "errorCode": "Success",
  "logTail": "",
  "message": "Succeeded",
  "scriptName": ""
},
"endTime": 1455988908.166,
"lifecycleEventName": "ApplicationStop",
"startTime": 1455988908.002,
"status": "Succeeded"
},
{
  "diagnostics": {
    "errorCode": "Success",
    "logTail": "",
    "message": "Succeeded",
    "scriptName": ""
  },
  "endTime": 1455988910.007,
  "lifecycleEventName": "DownloadBundle",
  "startTime": 1455988909.817,
  "status": "Succeeded"
},
{
  "diagnostics": {
    "errorCode": "Success",
    "logTail": "",
    "message": "Succeeded",
    "scriptName": ""
  },
  "endTime": 1455988912.501,
  "lifecycleEventName": "BeforeInstall",
  "startTime": 1455988911.823,
  "status": "Succeeded"
},
{
  "diagnostics": {
    "errorCode": "Success",
    "logTail": "",
    "message": "Succeeded",
    "scriptName": ""
  },
  "endTime": 1455988914.18,
  "lifecycleEventName": "Install",
  "startTime": 1455988914.068,
  "status": "Succeeded"
},
{
  "diagnostics": {
    "errorCode": "Success",
    "logTail": "",
    "message": "Succeeded",
    "scriptName": ""
  },
  "endTime": 1455988916.288,
  "lifecycleEventName": "AfterInstall",
  "startTime": 1455988916.108,
  "status": "Succeeded"
},
}
```

AWS CodeDeploy API Reference
Example

```
{
  "diagnostics": {
    "errorCode": "Success",
    "logTail": "",
    "message": "Succeeded",
    "scriptName": ""
  },
  "endTime": 1455988917.63,
  "lifecycleEventName": "ApplicationStart",
  "startTime": 1455988917.513,
  "status": "Succeeded"
},
{
  "diagnostics": {
    "errorCode": "Success",
    "logTail": "",
    "message": "Succeeded",
    "scriptName": ""
  },
  "endTime": 1455988919.616,
  "lifecycleEventName": "ValidateService",
  "startTime": 1455988919.489,
  "status": "Succeeded"
}
],
"status": "Succeeded"
},
{
  "deploymentId": "d-DXT57CS2G",
  "instanceId": "arn:aws:ec2:us-east-1:803981987763:instance/i-2b4a36ad00EXAMPLE",
  "lastUpdatedAt": 1455988905.795,
  "lifecycleEvents": [
    {
      "diagnostics": {
        "errorCode": "Success",
        "logTail": "",
        "message": "Succeeded",
        "scriptName": ""
      },
      "endTime": 1455988835.41,
      "lifecycleEventName": "ApplicationStop",
      "startTime": 1455988835.243,
      "status": "Succeeded"
    },
    {
      "diagnostics": {
        "errorCode": "Success",
        "logTail": "",
        "message": "Succeeded",
        "scriptName": ""
      },
      "endTime": 1455988843.137,
      "lifecycleEventName": "DownloadBundle",
      "startTime": 1455988842.349,
      "status": "Succeeded"
    },
    {
      "diagnostics": {
```

AWS CodeDeploy API Reference
Example

```
        "errorCode": "Success",
        "logTail": "",
        "message": "Succeeded",
        "scriptName": ""
    },
    "endTime": 1455988845.424,
    "lifecycleEventName": "BeforeInstall",
    "startTime": 1455988844.707,
    "status": "Succeeded"
},
{
    "diagnostics": {
        "errorCode": "Success",
        "logTail": "",
        "message": "Succeeded",
        "scriptName": ""
    },
    "endTime": 1455988853.216,
    "lifecycleEventName": "Install",
    "startTime": 1455988853.096,
    "status": "Succeeded"
},
{
    "diagnostics": {
        "errorCode": "Success",
        "logTail": "",
        "message": "Succeeded",
        "scriptName": ""
    },
    "endTime": 1455988858.017,
    "lifecycleEventName": "AfterInstall",
    "startTime": 1455988857.916,
    "status": "Succeeded"
},
{
    "diagnostics": {
        "errorCode": "Success",
        "logTail": "",
        "message": "Succeeded",
        "scriptName": ""
    },
    "endTime": 1455988902.714,
    "lifecycleEventName": "ApplicationStart",
    "startTime": 1455988902.56,
    "status": "Succeeded"
},
{
    "diagnostics": {
        "errorCode": "Success",
        "logTail": "",
        "message": "Succeeded",
        "scriptName": ""
    },
    "endTime": 1455988904.577,
    "lifecycleEventName": "ValidateService",
    "startTime": 1455988904.38,
    "status": "Succeeded"
}
],
```

```
    "status": "Succeeded"  
  }  
]  
}
```

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java](#)
- [AWS SDK for JavaScript](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V2](#)

BatchGetDeployments

Gets information about one or more deployments.

Request Syntax

```
{  
  "deploymentIds": [ "string" ]  
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#) (p. 178).

The request accepts the following data in JSON format.

deploymentIds (p. 28)

A list of deployment IDs, separated by spaces.

Type: array of Strings

Required: No

Response Syntax

```
{  
  "deploymentsInfo": [  
    {  
      "additionalDeploymentStatusInfo": "string",  
      "applicationName": "string",  
      "autoRollbackConfiguration": {  
        "enabled": boolean,  
        "events": [ "string" ]  
      },  
      "blueGreenDeploymentConfiguration": {  
        "deploymentReadyOption": {  
          "actionOnTimeout": "string",  
          "waitTimeInMinutes": number  
        },  
        "greenFleetProvisioningOption": {  
          "action": "string"  
        },  
        "terminateBlueInstancesOnDeploymentSuccess": {  
          "action": "string",  
          "terminationWaitTimeInMinutes": number  
        }  
      },  
      "completeTime": number,  
      "createTime": number,  
      "creator": "string",  
      "deploymentConfigName": "string",  
      "deploymentGroupName": "string",  
      "deploymentId": "string",  
      "deploymentOverview": {  
        "Failed": number,  
        "InProgress": number,  
      }  
    },  
  ]  
}
```

```

    "Pending": number,
    "Ready": number,
    "Skipped": number,
    "Succeeded": number
  },
  "deploymentStyle": {
    "deploymentOption": "string",
    "deploymentType": "string"
  },
  "description": "string",
  "errorInformation": {
    "code": "string",
    "message": "string"
  },
  "ignoreApplicationStopFailures": boolean,
  "instanceTerminationWaitTimeStarted": boolean,
  "loadBalancerInfo": {
    "elbInfoList": [
      {
        "name": "string"
      }
    ]
  },
  "revision": {
    "gitHubLocation": {
      "commitId": "string",
      "repository": "string"
    },
    "revisionType": "string",
    "s3Location": {
      "bucket": "string",
      "bundleType": "string",
      "eTag": "string",
      "key": "string",
      "version": "string"
    }
  },
  "rollbackInfo": {
    "rollbackDeploymentId": "string",
    "rollbackMessage": "string",
    "rollbackTriggeringDeploymentId": "string"
  },
  "startTime": number,
  "status": "string",
  "targetInstances": {
    "autoScalingGroups": [ "string" ],
    "tagFilters": [
      {
        "Key": "string",
        "Type": "string",
        "Value": "string"
      }
    ]
  },
  "updateOutdatedInstancesOnly": boolean
}
]
}

```

Response Elements

If the action is successful, the service sends back an HTTP 200 response. The following data is returned in JSON format by the service.

deploymentsInfo (p. 28)

Information about the deployments.

Type: array of [DeploymentInfo](#) (p. 149) objects

Errors

For information about the errors that are common to all actions, see [Common Errors](#) (p. 180).

BatchLimitExceededException

The maximum number of names or IDs allowed for this request (100) was exceeded.

HTTP Status Code: 400

DeploymentIdRequiredException

At least one deployment ID must be specified.

HTTP Status Code: 400

InvalidDeploymentIdException

At least one of the deployment IDs was specified in an invalid format.

HTTP Status Code: 400

Example

Sample Request

```
POST / HTTP/1.1
Host: codedeploy.us-east-1.amazonaws.com
Accept-Encoding: identity
Content-Length: 49
X-Amz-Target: CodeDeploy_20141006.BatchGetDeployments
X-Amz-Date: 20160707T232439Z
User-Agent: aws-cli/1.10.6 Python/2.7.9 Windows/7 botocore/1.3.28
Content-Type: application/x-amz-json-1.1
Authorization: AWS4-HMAC-SHA256 Credential=AKIAIOSFODNN7EXAMPLE/20160707/us-east-1/codedeploy/aws4_request,
SignedHeaders=content-type;host;user-agent;x-amz-date;x-amz-target,
Signature=39c3b3042cd2aEXAMPLE

{
  "deploymentIds": [
    "d-5SJAOL04C",
    "d-75H25AT3C"
  ]
}
```

Sample Response

```
HTTP/1.1 200 OK
x-amzn-RequestId: 620484b7-88cb-11e5-b497-75c49EXAMPLE
Content-Type: application/x-amz-json-1.1
Content-Length: 1236
```

```
{
  "deploymentsInfo": [{
    "applicationName": "TestApp-us-east-1",
    "completeTime": 1.446232681319E9,
    "createTime": 1.446232639487E9,
    "creator": "user",
    "deploymentConfigName": "CodeDeployDefault.OneAtATime",
    "deploymentGroupName": "dep-group-def-456",
    "deploymentId": "d-74D25AS7C",
    "deploymentOverview": {
      "Failed": 0,
      "InProgress": 0,
      "Pending": 0,
      "Skipped": 0,
      "Succeeded": 1
    },
    "description": "Deployment for Project 5678",
    "ignoreApplicationStopFailures": false,
    "revision": {
      "revisionType": "S3",
      "s3Location": {
        "bucket": "project-1234",
        "bundleType": "zip",
        "eTag": "3fdd7b9196697a096d5af1d649e26a4a",
        "key": "North-App.zip"
      }
    },
    "startTime": 1.446246024315E9,
    "status": "Succeeded"
  },
  {
    "applicationName": "ProductionApp-eu-central-1",
    "completeTime": 1.446246198207E9,
    "createTime": 1.446246024315E9,
    "creator": "user",
    "deploymentConfigName": "CodeDeployDefault.OneAtATime",
    "deploymentGroupName": "dep-group-jkl-234",
    "deploymentId": "d-5SJAOL04C",
    "deploymentOverview": {
      "Failed": 0,
      "InProgress": 0,
      "Pending": 0,
      "Skipped": 0,
      "Succeeded": 3
    },
    "ignoreApplicationStopFailures": false,
    "revision": {
      "revisionType": "S3",
      "s3Location": {
        "bucket": "project-5678",
        "bundleType": "zip",
        "eTag": "9007397ea759a2f535bc9b6ef5414f04-1",
        "key": "Pipeline-123/AppBuild-1/CeGy55t"
      }
    },
    "startTime": 1.446246024315E9,
    "status": "Succeeded"
  }
]}]
```



```
}
```

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java](#)
- [AWS SDK for JavaScript](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V2](#)

BatchGetOnPremisesInstances

Gets information about one or more on-premises instances.

Request Syntax

```
{  
  "instanceNames": [ "string" ]  
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#) (p. 178).

The request accepts the following data in JSON format.

instanceNames (p. 33)

The names of the on-premises instances about which to get information.

Type: array of Strings

Required: No

Response Syntax

```
{  
  "instanceInfos": [  
    {  
      "deregisterTime": number,  
      "iamSessionArn": "string",  
      "iamUserArn": "string",  
      "instanceArn": "string",  
      "instanceName": "string",  
      "registerTime": number,  
      "tags": [  
        {  
          "Key": "string",  
          "Value": "string"  
        }  
      ]  
    }  
  ]  
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

instanceInfos (p. 33)

Information about the on-premises instances.

Type: array of [InstanceInfo](#) (p. 163) objects

Errors

For information about the errors that are common to all actions, see [Common Errors \(p. 180\)](#).

BatchLimitExceededException

The maximum number of names or IDs allowed for this request (100) was exceeded.

HTTP Status Code: 400

InstanceNameRequiredException

An on-premises instance name was not specified.

HTTP Status Code: 400

InvalidInstanceNameException

The specified on-premises instance name was specified in an invalid format.

HTTP Status Code: 400

Example

Sample Request

```
POST / HTTP/1.1
Host: codedeploy.us-east-1.amazonaws.com
Accept-Encoding: identity
Content-Length: 63
X-Amz-Target: CodeDeploy_20141006.BatchGetOnPremisesInstances
X-Amz-Date: 20160707T232825Z
User-Agent: aws-cli/1.10.6 Python/2.7.9 Windows/7 botocore/1.3.28
Content-Type: application/x-amz-json-1.1
Authorization: AWS4-HMAC-SHA256 Credential=AKIAIOSFODNN7EXAMPLE/20160707/us-east-1/codedeploy/aws4_request,
  SignedHeaders=content-type;host;user-agent;x-amz-date;x-amz-target,
  Signature=39c3b3042cd2aEXAMPLE

{
  "instanceNames": [
    "grp-a-inst-1",
    "grp-a-inst-3"
  ]
}
```

Sample Response

```
HTTP/1.1 200 OK
x-amzn-RequestId: e895fb62-88cb-11e5-a908-6dc86959d072
Content-Type: application/x-amz-json-1.1
Content-Length: 303

{
  "instanceInfos": [
    {
      "iamUserArn": "arn:aws:iam::444455556666:user/janedoe",
      "instanceArn": "arn:aws:codedeploy:us-east-1:444455556666:instance/grp-a-inst-1_rDH556dxUG",
      "instanceName": "grp-a-inst-1",
      "registerTime": 1428086184.401,
```

```
    "tags": [
      {
        "Key": "Name",
        "Value": "Project-DEF"
      }
    ]
  }
]
```

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java](#)
- [AWS SDK for JavaScript](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V2](#)

ContinueDeployment

Starts the process of rerouting traffic from instances in the original environment to instances in the replacement environment without waiting for a specified wait time to elapse. (Traffic rerouting, which is achieved by registering instances in the replacement environment with the load balancer, can start as soon as all instances have a status of Ready.)

Request Syntax

```
{  
  "deploymentId": "string"  
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters \(p. 178\)](#).

The request accepts the following data in JSON format.

deploymentId (p. 36)

The deployment ID of the blue/green deployment for which you want to start rerouting traffic to the replacement environment.

Type: String

Required: No

Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

Errors

For information about the errors that are common to all actions, see [Common Errors \(p. 180\)](#).

DeploymentAlreadyCompletedException

The deployment is already complete.

HTTP Status Code: 400

DeploymentDoesNotExistException

The deployment does not exist with the applicable IAM user or AWS account.

HTTP Status Code: 400

DeploymentIdRequiredException

At least one deployment ID must be specified.

HTTP Status Code: 400

DeploymentIsNotInReadyStateException

The deployment does not have a status of Ready and can't continue yet.

HTTP Status Code: 400

InvalidDeploymentIdException

At least one of the deployment IDs was specified in an invalid format.

HTTP Status Code: 400

UnsupportedActionForDeploymentTypeException

A call was submitted that is not supported for the specified deployment type.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java](#)
- [AWS SDK for JavaScript](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V2](#)

CreateApplication

Creates an application.

Request Syntax

```
{  
  "applicationName": "string"  
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#) (p. 178).

The request accepts the following data in JSON format.

applicationName (p. 38)

The name of the application. This name must be unique with the applicable IAM user or AWS account.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 100.

Required: Yes

Response Syntax

```
{  
  "applicationId": "string"  
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

applicationId (p. 38)

A unique application ID.

Type: String

Errors

For information about the errors that are common to all actions, see [Common Errors](#) (p. 180).

ApplicationAlreadyExistsException

An application with the specified name already exists with the applicable IAM user or AWS account.

HTTP Status Code: 400

ApplicationLimitExceededException

More applications were attempted to be created than are allowed.

HTTP Status Code: 400

ApplicationNameRequiredException

The minimum number of required application names was not specified.

HTTP Status Code: 400

InvalidApplicationNameException

The application name was specified in an invalid format.

HTTP Status Code: 400

Example

Sample Request

```
POST / HTTP/1.1
Host: codedeploy.us-east-1.amazonaws.com
Accept-Encoding: identity
Content-Length: 37
X-Amz-Target: CodeDeploy_20141006.CreateApplication
X-Amz-Date: 20160707T233029Z
User-Agent: aws-cli/1.10.6 Python/2.7.9 Windows/7 botocore/1.3.28
Content-Type: application/x-amz-json-1.1
Authorization: AWS4-HMAC-SHA256 Credential=AKIAIOSFODNN7EXAMPLE/20160707/us-east-1/codedeploy/aws4_request,
  SignedHeaders=content-type;host;user-agent;x-amz-date;x-amz-target,
  Signature=39c3b3042cd2aEXAMPLE

{
  "applicationName": "TestApp-ap-southeast-2"
}
```

Sample Response

```
HTTP/1.1 200 OK
x-amzn-RequestId: 32431157-88cc-11e5-a908-6dc86959d022
Content-Type: application/x-amz-json-1.1
Content-Length: 56

{
  "applicationId": "767c40ba-2c8d-4ec1-8649-3gd18EXAMPLE"
}
```

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java](#)
- [AWS SDK for JavaScript](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V2](#)

CreateDeployment

Deploys an application revision through the specified deployment group.

Request Syntax

```
{
  "applicationName": "string",
  "autoRollbackConfiguration": {
    "enabled": boolean,
    "events": [ "string" ]
  },
  "deploymentConfigName": "string",
  "deploymentGroupName": "string",
  "description": "string",
  "ignoreApplicationStopFailures": boolean,
  "revision": {
    "gitHubLocation": {
      "commitId": "string",
      "repository": "string"
    },
    "revisionType": "string",
    "s3Location": {
      "bucket": "string",
      "bundleType": "string",
      "eTag": "string",
      "key": "string",
      "version": "string"
    }
  },
  "targetInstances": {
    "autoScalingGroups": [ "string" ],
    "tagFilters": [
      {
        "Key": "string",
        "Type": "string",
        "Value": "string"
      }
    ]
  },
  "updateOutdatedInstancesOnly": boolean
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#) (p. 178).

The request accepts the following data in JSON format.

applicationName (p. 41)

The name of an AWS CodeDeploy application associated with the applicable IAM user or AWS account.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 100.

Required: Yes

autoRollbackConfiguration (p. 41)

Configuration information for an automatic rollback that is added when a deployment is created.

Type: [AutoRollbackConfiguration \(p. 142\)](#) object

Required: No

deploymentConfigName (p. 41)

The name of a deployment configuration associated with the applicable IAM user or AWS account.

If not specified, the value configured in the deployment group will be used as the default.

If the deployment group does not have a deployment configuration associated with it, then CodeDeployDefault.OneAtATime will be used by default.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 100.

Required: No

deploymentGroupName (p. 41)

The name of the deployment group.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 100.

Required: No

description (p. 41)

A comment about the deployment.

Type: String

Required: No

ignoreApplicationStopFailures (p. 41)

If set to true, then if the deployment causes the ApplicationStop deployment lifecycle event to an instance to fail, the deployment to that instance will not be considered to have failed at that point and will continue on to the BeforeInstall deployment lifecycle event.

If set to false or not specified, then if the deployment causes the ApplicationStop deployment lifecycle event to fail to an instance, the deployment to that instance will stop, and the deployment to that instance will be considered to have failed.

Type: Boolean

Required: No

revision (p. 41)

The type and location of the revision to deploy.

Type: [RevisionLocation \(p. 170\)](#) object

Required: No

targetInstances (p. 41)

Information about the instances that will belong to the replacement environment in a blue/green deployment.

Type: [TargetInstances \(p. 175\)](#) object

Required: No

updateOutdatedInstancesOnly (p. 41)

Indicates whether to deploy to all instances or only to instances that are not running the latest application revision.

Type: Boolean

Required: No

Response Syntax

```
{  
  "deploymentId": "string"  
}
```

```
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.
The following data is returned in JSON format by the service.

deploymentId (p. 42)

A unique deployment ID.

Type: String

Errors

For information about the errors that are common to all actions, see [Common Errors](#) (p. 180).

ApplicationDoesNotExistException

The application does not exist with the applicable IAM user or AWS account.

HTTP Status Code: 400

ApplicationNameRequiredException

The minimum number of required application names was not specified.

HTTP Status Code: 400

DeploymentConfigDoesNotExistException

The deployment configuration does not exist with the applicable IAM user or AWS account.

HTTP Status Code: 400

DeploymentGroupDoesNotExistException

The named deployment group does not exist with the applicable IAM user or AWS account.

HTTP Status Code: 400

DeploymentGroupNameRequiredException

The deployment group name was not specified.

HTTP Status Code: 400

DeploymentLimitExceededException

The number of allowed deployments was exceeded.

HTTP Status Code: 400

DescriptionTooLongException

The description is too long.

HTTP Status Code: 400

InvalidApplicationNameException

The application name was specified in an invalid format.

HTTP Status Code: 400

InvalidAutoRollbackConfigException

The automatic rollback configuration was specified in an invalid format. For example, automatic rollback is enabled but an invalid triggering event type or no event types were listed.

HTTP Status Code: 400

InvalidDeploymentConfigNameException

The deployment configuration name was specified in an invalid format.

HTTP Status Code: 400

InvalidDeploymentGroupNameException

The deployment group name was specified in an invalid format.

HTTP Status Code: 400

InvalidLoadBalancerInfoException

An invalid load balancer name, or no load balancer name, was specified.

HTTP Status Code: 400

InvalidRevisionException

The revision was specified in an invalid format.

HTTP Status Code: 400

InvalidTargetInstancesException

The target instance configuration is invalid. Possible causes include:

- Configuration data for target instances was entered for an in-place deployment.
- The limit of 10 tags for a tag type was exceeded.
- The combined length of the tag names exceeded the limit.
- A specified tag is not currently applied to any instances.

HTTP Status Code: 400

RevisionDoesNotExistException

The named revision does not exist with the applicable IAM user or AWS account.

HTTP Status Code: 400

RevisionRequiredException

The revision ID was not specified.

HTTP Status Code: 400

Example

Sample Request

```
POST / HTTP/1.1
Host: codedeploy.us-east-1.amazonaws.com
Accept-Encoding: identity
Content-Length: 305
X-Amz-Target: CodeDeploy_20141006.CreateDeployment
X-Amz-Date: 20160707T235543Z
User-Agent: aws-cli/1.10.6 Python/2.7.9 Windows/7 botocore/1.3.28
Content-Type: application/x-amz-json-1.1
Authorization: AWS4-HMAC-SHA256 Credential=AKIAIOSFODNN7EXAMPLE/20160707/us-
east-1/codedeploy/aws4_request,
SignedHeaders=content-type;host;user-agent;x-amz-date;x-amz-target,
Signature=39c3b3042cd2aEXAMPLE

{
  "applicationName": "TestApp-ap-southeast-2",
  "deploymentGroupName": "dep-group-ghi-789",
  "description": "Deployment for Project 1234",
  "deploymentConfigName": "CodeDeployDefault.OneAtATime",
  "revision": {
    "revisionType": "S3",
    "s3Location": {
      "bundleType": "zip",
      "bucket": "project-1234",
      "key": "East-App.zip"
    }
  }
}
```

Sample Response

```
HTTP/1.1 200 OK
x-amzn-RequestId: b8d39558-88cf-11f5-96e5-8bf4ee0ce84e
Content-Type: application/x-amz-json-1.1
Content-Length: 30

{
  "deploymentId": "d-IIMHK0NHC"
}
```

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java](#)
- [AWS SDK for JavaScript](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V2](#)

CreateDeploymentConfig

Creates a deployment configuration.

Request Syntax

```
{
  "deploymentConfigName": "string",
  "minimumHealthyHosts": {
    "type": "string",
    "value": number
  }
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters \(p. 178\)](#).

The request accepts the following data in JSON format.

deploymentConfigName (p. 46)

The name of the deployment configuration to create.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 100.

Required: Yes

minimumHealthyHosts (p. 46)

The minimum number of healthy instances that should be available at any time during the deployment. There are two parameters expected in the input: type and value.

The type parameter takes either of the following values:

- **HOST_COUNT**: The value parameter represents the minimum number of healthy instances as an absolute value.
- **FLEET_PERCENT**: The value parameter represents the minimum number of healthy instances as a percentage of the total number of instances in the deployment. If you specify **FLEET_PERCENT**, at the start of the deployment, AWS CodeDeploy converts the percentage to the equivalent number of instance and rounds up fractional instances.

The value parameter takes an integer.

For example, to set a minimum of 95% healthy instance, specify a type of **FLEET_PERCENT** and a value of 95.

Type: [MinimumHealthyHosts \(p. 168\)](#) object

Required: No

Response Syntax

```
{
  "deploymentConfigId": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

deploymentConfigId (p. 46)

A unique deployment configuration ID.

Type: String

Errors

For information about the errors that are common to all actions, see [Common Errors](#) (p. 180).

DeploymentConfigAlreadyExistsException

A deployment configuration with the specified name already exists with the applicable IAM user or AWS account.

HTTP Status Code: 400

DeploymentConfigLimitExceededException

The deployment configurations limit was exceeded.

HTTP Status Code: 400

DeploymentConfigNameRequiredException

The deployment configuration name was not specified.

HTTP Status Code: 400

InvalidDeploymentConfigNameException

The deployment configuration name was specified in an invalid format.

HTTP Status Code: 400

InvalidMinimumHealthyHostValueException

The minimum healthy instance value was specified in an invalid format.

HTTP Status Code: 400

Example

Sample Request

```
POST / HTTP/1.1
Host: codedeploy.us-east-1.amazonaws.com
Accept-Encoding: identity
Content-Length: 103
X-Amz-Target: CodeDeploy_20141006.CreateDeploymentConfig
X-Amz-Date: 20160707T235925Z
User-Agent: aws-cli/1.10.6 Python/2.7.9 Windows/7 botocore/1.3.28
Content-Type: application/x-amz-json-1.1
Authorization: AWS4-HMAC-SHA256 Credential=AKIAIOSFODNN7EXAMPLE/20160707/us-east-1/codedeploy/aws4_request,
SignedHeaders=content-type;host;user-agent;x-amz-date;x-amz-target,
Signature=39c3b3042cd2aEXAMPLE

{
  "minimumHealthyHosts": {
    "type": "HOST_COUNT",
    "value": 1
  },
  "deploymentConfigName": "CustomConfig.One"
}
```


Sample Response

```
HTTP/1.1 200 OK
x-amzn-RequestId: 3ea3b855-88d0-11e5-9958-cd5094947bf1
Content-Type: application/x-amz-json-1.1
Content-Length: 61

{
  "deploymentConfigId": "e0839cbd-af8a-4a6c-921g-9ad0245d3459"
}
```

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java](#)
- [AWS SDK for JavaScript](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V2](#)

CreateDeploymentGroup

Creates a deployment group to which application revisions will be deployed.

Request Syntax

```
{
  "alarmConfiguration": {
    "alarms": [
      {
        "name": "string"
      }
    ],
    "enabled": boolean,
    "ignorePollAlarmFailure": boolean
  },
  "applicationName": "string",
  "autoRollbackConfiguration": {
    "enabled": boolean,
    "events": [ "string" ]
  },
  "autoScalingGroups": [ "string" ],
  "blueGreenDeploymentConfiguration": {
    "deploymentReadyOption": {
      "actionOnTimeout": "string",
      "waitTimeInMinutes": number
    },
    "greenFleetProvisioningOption": {
      "action": "string"
    },
    "terminateBlueInstancesOnDeploymentSuccess": {
      "action": "string",
      "terminationWaitTimeInMinutes": number
    }
  },
  "deploymentConfigName": "string",
  "deploymentGroupName": "string",
  "deploymentStyle": {
    "deploymentOption": "string",
    "deploymentType": "string"
  },
  "ec2TagFilters": [
    {
      "Key": "string",
      "Type": "string",
      "Value": "string"
    }
  ],
  "loadBalancerInfo": {
    "elbInfoList": [
      {
        "name": "string"
      }
    ]
  },
  "onPremisesInstanceTagFilters": [
    {
      "Key": "string",
```

```
        "Type": "string",  
        "Value": "string"  
    }  
],  
"serviceRoleArn": "string",  
"triggerConfigurations": [  
    {  
        "triggerEvents": [ "string" ],  
        "triggerName": "string",  
        "triggerTargetArn": "string"  
    }  
]  
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters \(p. 178\)](#).

The request accepts the following data in JSON format.

alarmConfiguration (p. 49)

Information to add about Amazon CloudWatch alarms when the deployment group is created.

Type: [AlarmConfiguration \(p. 140\)](#) object

Required: No

applicationName (p. 49)

The name of an AWS CodeDeploy application associated with the applicable IAM user or AWS account.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 100.

Required: Yes

autoRollbackConfiguration (p. 49)

Configuration information for an automatic rollback that is added when a deployment group is created.

Type: [AutoRollbackConfiguration \(p. 142\)](#) object

Required: No

autoScalingGroups (p. 49)

A list of associated Auto Scaling groups.

Type: array of Strings

Required: No

blueGreenDeploymentConfiguration (p. 49)

Information about blue/green deployment options for a deployment group.

Type: [BlueGreenDeploymentConfiguration \(p. 144\)](#) object

Required: No

deploymentConfigName (p. 49)

If specified, the deployment configuration name can be either one of the predefined configurations provided with AWS CodeDeploy or a custom deployment configuration that you create by calling the create deployment configuration operation.

CodeDeployDefault.OneAtATime is the default deployment configuration. It is used if a configuration isn't specified for the deployment or the deployment group.

For more information about the predefined deployment configurations in AWS CodeDeploy, see [Working with Deployment Groups in AWS CodeDeploy](#) in the AWS CodeDeploy User Guide.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 100.

Required: No

deploymentGroupName (p. 49)

The name of a new deployment group for the specified application.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 100.

Required: Yes

deploymentStyle (p. 49)

Information about the type of deployment, standard or blue/green, that you want to run and whether to route deployment traffic behind a load balancer.

Type: [DeploymentStyle \(p. 154\)](#) object

Required: No

ec2TagFilters (p. 49)

The Amazon EC2 tags on which to filter.

Type: array of [EC2TagFilter \(p. 156\)](#) objects

Required: No

loadBalancerInfo (p. 49)

Information about the load balancer used in a blue/green deployment.

Type: [LoadBalancerInfo \(p. 167\)](#) object

Required: No

onPremisesInstanceTagFilters (p. 49)

The on-premises instance tags on which to filter.

Type: array of [TagFilter \(p. 174\)](#) objects

Required: No

serviceRoleArn (p. 49)

A service role ARN that allows AWS CodeDeploy to act on the user's behalf when interacting with AWS services.

Type: String

Required: Yes

triggerConfigurations (p. 49)

Information about triggers to create when the deployment group is created. For examples, see [Create a Trigger for an AWS CodeDeploy Event](#) in the AWS CodeDeploy User Guide.

Type: array of [TriggerConfig \(p. 177\)](#) objects

Required: No

Response Syntax

```
{  
  "deploymentGroupId": "string"  
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

deploymentGroupId (p. 51)

A unique deployment group ID.

Type: String

Errors

For information about the errors that are common to all actions, see [Common Errors \(p. 180\)](#).

AlarmsLimitExceededException

The maximum number of alarms for a deployment group (10) was exceeded.

HTTP Status Code: 400

ApplicationDoesNotExistException

The application does not exist with the applicable IAM user or AWS account.

HTTP Status Code: 400

ApplicationNameRequiredException

The minimum number of required application names was not specified.

HTTP Status Code: 400

DeploymentConfigDoesNotExistException

The deployment configuration does not exist with the applicable IAM user or AWS account.

HTTP Status Code: 400

DeploymentGroupAlreadyExistsException

A deployment group with the specified name already exists with the applicable IAM user or AWS account.

HTTP Status Code: 400

DeploymentGroupLimitExceededException

The deployment groups limit was exceeded.

HTTP Status Code: 400

DeploymentGroupNameRequiredException

The deployment group name was not specified.

HTTP Status Code: 400

InvalidAlarmConfigException

The format of the alarm configuration is invalid. Possible causes include:

- The alarm list is null.
- The alarm object is null.
- The alarm name is empty or null or exceeds the 255 character limit.
- Two alarms with the same name have been specified.
- The alarm configuration is enabled but the alarm list is empty.

HTTP Status Code: 400

InvalidApplicationNameException

The application name was specified in an invalid format.

HTTP Status Code: 400

InvalidAutoRollbackConfigException

The automatic rollback configuration was specified in an invalid format. For example, automatic rollback is enabled but an invalid triggering event type or no event types were listed.

HTTP Status Code: 400

InvalidAutoScalingGroupException

The Auto Scaling group was specified in an invalid format or does not exist.

HTTP Status Code: 400

InvalidBlueGreenDeploymentConfigurationException

The configuration for the blue/green deployment group was provided in an invalid format. For information about deployment configuration format, see [CreateDeploymentConfig \(p. 46\)](#).

HTTP Status Code: 400

InvalidDeploymentConfigNameException

The deployment configuration name was specified in an invalid format.

HTTP Status Code: 400

InvalidDeploymentGroupNameException

The deployment group name was specified in an invalid format.

HTTP Status Code: 400

InvalidDeploymentStyleException

An invalid deployment style was specified. Valid deployment types include "IN_PLACE" and "BLUE_GREEN". Valid deployment options for blue/green deployments include "WITH_TRAFFIC_CONTROL" and "WITHOUT_TRAFFIC_CONTROL".

HTTP Status Code: 400

InvalidEC2TagException

The tag was specified in an invalid format.

HTTP Status Code: 400

InvalidLoadBalancerInfoException

An invalid load balancer name, or no load balancer name, was specified.

HTTP Status Code: 400

InvalidRoleException

The service role ARN was specified in an invalid format. Or, if an Auto Scaling group was specified, the specified service role does not grant the appropriate permissions to Auto Scaling.

HTTP Status Code: 400

InvalidTagException

The specified tag was specified in an invalid format.

HTTP Status Code: 400

InvalidTriggerConfigException

The trigger was specified in an invalid format.

HTTP Status Code: 400

LifecycleHookLimitExceededException

The limit for lifecycle hooks was exceeded.

HTTP Status Code: 400

RoleRequiredException

The role ID was not specified.

HTTP Status Code: 400

TriggerTargetsLimitExceededException

The maximum allowed number of triggers was exceeded.

HTTP Status Code: 400

Example

Sample Request

```
POST / HTTP/1.1
Host: codedeploy.us-east-1.amazonaws.com
Accept-Encoding: identity
Content-Length: 294
X-Amz-Target: CodeDeploy_20141006.CreateDeploymentGroup
X-Amz-Date: 20160707T000818Z
User-Agent: aws-cli/1.10.6 Python/2.7.9 Windows/7 botocore/1.3.28
Content-Type: application/x-amz-json-1.1
Authorization: AWS4-HMAC-SHA256 Credential=AKIAIOSFODNN7EXAMPLE/20160707/us-east-1/codedeploy/aws4_request,
```

```
SignedHeaders=content-type;host;user-agent;x-amz-date;x-amz-target,  
Signature=39c3b3042cd2aEXAMPLE  
  
{  
  "applicationName": "TestApp-us-east-1",  
  "serviceRoleArn": "arn:aws:iam::444455556666:role/AnyCompany-service-  
role",  
  "ec2TagFilters": [  
    {  
      "Type": "KEY_AND_VALUE",  
      "Key": "Name",  
      "Value": "Project-ABC"  
    }  
  ],  
  "deploymentGroupName": "dep-group-ghi-789-2",  
  "deploymentConfigName": "CodeDeployDefault.OneAtATime",  
  "triggerConfigurations": [  
    {  
      "triggerEvents": [  
        "DeploymentFailure"  
      ],  
      "triggerName": "Trigger-group-us-east-1-deploy-fail",  
      "triggerTargetArn": "arn:aws:sns:us-east-1:80398EXAMPLE:us-east-  
deploy-fail"  
    }  
  ]  
}
```

Sample Response

```
HTTP/1.1 200 OK  
x-amzn-RequestId: 7aed4309-88d1-11e5-b0f5-a331fa97e4b5  
Content-Type: application/x-amz-json-1.1  
Content-Length: 60  
  
{  
  "deploymentGroupId": "e9be2617-8b71-46a1-944a-3c45c9138ee7"  
}
```

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java](#)
- [AWS SDK for JavaScript](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V2](#)

DeleteApplication

Deletes an application.

Request Syntax

```
{  
  "applicationName": "string"  
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters \(p. 178\)](#).

The request accepts the following data in JSON format.

applicationName (p. 55)

The name of an AWS CodeDeploy application associated with the applicable IAM user or AWS account.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 100.

Required: Yes

Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

Errors

For information about the errors that are common to all actions, see [Common Errors \(p. 180\)](#).

ApplicationNameRequiredException

The minimum number of required application names was not specified.

HTTP Status Code: 400

InvalidApplicationNameException

The application name was specified in an invalid format.

HTTP Status Code: 400

Example

Sample Request

```
POST / HTTP/1.1  
Host: codedeploy.us-east-1.amazonaws.com  
Accept-Encoding: identity  
Content-Length: 37  
X-Amz-Target: CodeDeploy_20141006.DeleteApplication  
X-Amz-Date: 20160707T012940Z  
User-Agent: aws-cli/1.10.6 Python/2.7.9 Windows/7 botocore/1.3.28  
Content-Type: application/x-amz-json-1.1
```



```
Authorization: AWS4-HMAC-SHA256 Credential=AKIAIOSFODNN7EXAMPLE/20160707/us-east-1/codedeploy/aws4_request,
SignedHeaders=content-type;host;user-agent;x-amz-date;x-amz-target,
Signature=39c3b3042cd2aEXAMPLE

{
  "applicationName": "TestApp-ap-southeast-2"
}
```

Sample Response

```
HTTP/1.1 200 OK
x-amzn-RequestId: 4ccc9cf0-88c9-11e5-8ce3-2704437d0309
Content-Type: application/x-amz-json-1.1
Content-Length: 0
```

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java](#)
- [AWS SDK for JavaScript](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V2](#)

DeleteDeploymentConfig

Deletes a deployment configuration.

Note

A deployment configuration cannot be deleted if it is currently in use. Predefined configurations cannot be deleted.

Request Syntax

```
{  
  "deploymentConfigName": "string"  
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters \(p. 178\)](#).

The request accepts the following data in JSON format.

deploymentConfigName (p. 57)

The name of a deployment configuration associated with the applicable IAM user or AWS account.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 100.

Required: Yes

Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

Errors

For information about the errors that are common to all actions, see [Common Errors \(p. 180\)](#).

DeploymentConfigInUseException

The deployment configuration is still in use.

HTTP Status Code: 400

DeploymentConfigNameRequiredException

The deployment configuration name was not specified.

HTTP Status Code: 400

InvalidDeploymentConfigNameException

The deployment configuration name was specified in an invalid format.

HTTP Status Code: 400

InvalidOperationException

An invalid operation was detected.

HTTP Status Code: 400

Example

Sample Request

```
POST / HTTP/1.1
Host: codedeploy.us-east-1.amazonaws.com
Accept-Encoding: identity
Content-Length: 41
X-Amz-Target: CodeDeploy_20141006.DeleteDeploymentConfig
X-Amz-Date: 20160707T013153Z
User-Agent: aws-cli/1.10.6 Python/2.7.9 Windows/7 boto/2.8.0
Content-Type: application/x-amz-json-1.1
Authorization: AWS4-HMAC-SHA256 Credential=AKIAIOSFODNN7EXAMPLE/20160707/us-east-1/codedeploy/aws4_request,
  SignedHeaders=content-type;host;user-agent;x-amz-date;x-amz-target,
  Signature=39c3b3042cd2aEXAMPLE

{
  "deploymentConfigName": "dep-group-ghi-789"
}
```

Sample Response

```
HTTP/1.1 200 OK
x-amzn-RequestId: 4ccc9cf0-88c9-11e5-8ce3-2704437d0309
Content-Type: application/x-amz-json-1.1
Content-Length: 0
```

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java](#)
- [AWS SDK for JavaScript](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V2](#)

DeleteDeploymentGroup

Deletes a deployment group.

Request Syntax

```
{  
  "applicationName": "string",  
  "deploymentGroupName": "string"  
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters \(p. 178\)](#).

The request accepts the following data in JSON format.

applicationName (p. 59)

The name of an AWS CodeDeploy application associated with the applicable IAM user or AWS account.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 100.

Required: Yes

deploymentGroupName (p. 59)

The name of an existing deployment group for the specified application.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 100.

Required: Yes

Response Syntax

```
{  
  "hooksNotCleanedUp": [  
    {  
      "hook": "string",  
      "name": "string"  
    }  
  ]  
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

hooksNotCleanedUp (p. 59)

If the output contains no data, and the corresponding deployment group contained at least one Auto Scaling group, AWS CodeDeploy successfully removed all corresponding Auto Scaling lifecycle event hooks from the Amazon EC2 instances in the Auto Scaling group. If the output contains data, AWS CodeDeploy could not remove some Auto Scaling lifecycle event hooks from the Amazon EC2 instances in the Auto Scaling group.

Type: array of [AutoScalingGroup](#) (p. 143) objects

Errors

For information about the errors that are common to all actions, see [Common Errors](#) (p. 180).

ApplicationNameRequiredException

The minimum number of required application names was not specified.

HTTP Status Code: 400

DeploymentGroupNameRequiredException

The deployment group name was not specified.

HTTP Status Code: 400

InvalidApplicationNameException

The application name was specified in an invalid format.

HTTP Status Code: 400

InvalidDeploymentGroupNameException

The deployment group name was specified in an invalid format.

HTTP Status Code: 400

InvalidRoleException

The service role ARN was specified in an invalid format. Or, if an Auto Scaling group was specified, the specified service role does not grant the appropriate permissions to Auto Scaling.

HTTP Status Code: 400

Example

Sample Request

```
POST / HTTP/1.1
Host: codedeploy.us-east-1.amazonaws.com
Accept-Encoding: identity
Content-Length: 71
X-Amz-Target: CodeDeploy_20141006.DeleteDeploymentGroup
X-Amz-Date: 20160707T013700Z
User-Agent: aws-cli/1.10.6 Python/2.7.9 Windows/7 botocore/1.3.28
Content-Type: application/x-amz-json-1.1
Authorization: AWS4-HMAC-SHA256 Credential=AKIAIOSFODNN7EXAMPLE/20160707/us-east-1/codedeploy/aws4_request,
SignedHeaders=content-type;host;user-agent;x-amz-date;x-amz-target,
Signature=39c3b3042cd2aEXAMPLE

{
  "applicationName": "TestApp-eu-west-1",
  "deploymentGroupName": "dep-group-abc-123"
}
```

Sample Response

```
HTTP/1.1 200 OK
x-amzn-RequestId: dec21774-88dd-11e5-96e5-8bf4ee0ce84e
Content-Type: application/x-amz-json-1.1
Content-Length: 24
```

```
{  
  "hooksNotCleanedUp": []  
}
```

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java](#)
- [AWS SDK for JavaScript](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V2](#)

DeregisterOnPremisesInstance

Deregisters an on-premises instance.

Request Syntax

```
{  
  "instanceName": "string"  
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters \(p. 178\)](#).

The request accepts the following data in JSON format.

instanceName (p. 62)

The name of the on-premises instance to deregister.

Type: String

Required: Yes

Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

Errors

For information about the errors that are common to all actions, see [Common Errors \(p. 180\)](#).

InstanceNameRequiredException

An on-premises instance name was not specified.

HTTP Status Code: 400

InvalidInstanceNameException

The specified on-premises instance name was specified in an invalid format.

HTTP Status Code: 400

Example

Sample Request

```
POST / HTTP/1.1  
Host: codedeploy.us-east-1.amazonaws.com  
Accept-Encoding: identity  
Content-Length: 43  
X-Amz-Target: CodeDeploy_20141006.DeregisterOnPremisesInstance  
X-Amz-Date: 20160707T182111Z  
User-Agent: aws-cli/1.10.6 Python/2.7.9 Windows/7 botocore/1.3.28  
Content-Type: application/x-amz-json-1.1  
Authorization: AWS4-HMAC-SHA256 Credential=AKIAIOSFODNN7EXAMPLE/20160707/us-east-1/codedeploy/aws4_request,
```

```
SignedHeaders=content-type;host;user-agent;x-amz-date;x-amz-target,  
Signature=39c3b3042cd2aEXAMPLE  
  
{  
  "instanceName": "grp-b-inst-3"  
}
```

Sample Response

```
HTTP/1.1 200 OK  
x-amzn-RequestId: 4ccc9cf0-88c9-11e5-8ce3-2704437d0309  
Content-Type: application/x-amz-json-1.1  
Content-Length: 0
```

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java](#)
- [AWS SDK for JavaScript](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V2](#)

GetApplication

Gets information about an application.

Request Syntax

```
{  
  "applicationName": "string"  
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters \(p. 178\)](#).

The request accepts the following data in JSON format.

applicationName (p. 64)

The name of an AWS CodeDeploy application associated with the applicable IAM user or AWS account.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 100.

Required: Yes

Response Syntax

```
{  
  "application": {  
    "applicationId": "string",  
    "applicationName": "string",  
    "createTime": number,  
    "linkedToGitHub": boolean  
  }  
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

application (p. 64)

Information about the application.

Type: [ApplicationInfo \(p. 141\)](#) object

Errors

For information about the errors that are common to all actions, see [Common Errors \(p. 180\)](#).

ApplicationDoesNotExistException

The application does not exist with the applicable IAM user or AWS account.

HTTP Status Code: 400

ApplicationNameRequiredException

The minimum number of required application names was not specified.

HTTP Status Code: 400

InvalidApplicationNameException

The application name was specified in an invalid format.

HTTP Status Code: 400

Example

Sample Request

```
POST / HTTP/1.1
Host: codedeploy.us-east-1.amazonaws.com
Accept-Encoding: identity
Content-Length: 45
X-Amz-Target: CodeDeploy_20141006.GetApplication
X-Amz-Date: 20160707T014559Z
User-Agent: aws-cli/1.10.6 Python/2.7.9 Windows/7 botocore/1.3.28
Content-Type: application/x-amz-json-1.1
Authorization: AWS4-HMAC-SHA256 Credential=AKIAIOSFODNN7EXAMPLE/20160707/us-east-1/codedeploy/aws4_request,
  SignedHeaders=content-type;host;user-agent;x-amz-date;x-amz-target,
  Signature=39c3b3042cd2aEXAMPLE

{
  "applicationName": "TestApp-us-east-1"
}
```

Sample Response

```
HTTP/1.1 200 OK
x-amzn-RequestId: 2010bbbd-88df-11e5-9749-bba241db97da
Content-Type: application/x-amz-json-1.1
Content-Length: 168

{
  "application": {
    "applicationId": "d3be67e5-e716-457b-946b-7a457EXAMPLE",
    "applicationName": "TestApp-us-east-1",
    "createTime": 1446229001.211,
    "linkedToGitHub": false
  }
}
```

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go](#)

- [AWS SDK for Java](#)
- [AWS SDK for JavaScript](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V2](#)

GetApplicationRevision

Gets information about an application revision.

Request Syntax

```
{
  "applicationName": "string",
  "revision": {
    "gitHubLocation": {
      "commitId": "string",
      "repository": "string"
    },
    "revisionType": "string",
    "s3Location": {
      "bucket": "string",
      "bundleType": "string",
      "eTag": "string",
      "key": "string",
      "version": "string"
    }
  }
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#) (p. 178).

The request accepts the following data in JSON format.

applicationName (p. 67)

The name of the application that corresponds to the revision.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 100.

Required: Yes

revision (p. 67)

Information about the application revision to get, including type and location.

Type: [RevisionLocation](#) (p. 170) object

Required: Yes

Response Syntax

```
{
  "applicationName": "string",
  "revision": {
    "gitHubLocation": {
      "commitId": "string",
      "repository": "string"
    },
    "revisionType": "string",
    "s3Location": {
      "bucket": "string",
```

```
    "bundleType": "string",
    "eTag": "string",
    "key": "string",
    "version": "string"
  }
},
"revisionInfo": {
  "deploymentGroups": [ "string" ],
  "description": "string",
  "firstUsedTime": number,
  "lastUsedTime": number,
  "registerTime": number
}
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response. The following data is returned in JSON format by the service.

applicationName (p. 67)

The name of the application that corresponds to the revision.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 100.

revision (p. 67)

Additional information about the revision, including type and location.

Type: [RevisionLocation](#) (p. 170) object

revisionInfo (p. 67)

General information about the revision.

Type: [GenericRevisionInfo](#) (p. 160) object

Errors

For information about the errors that are common to all actions, see [Common Errors](#) (p. 180).

ApplicationDoesNotExistException

The application does not exist with the applicable IAM user or AWS account.

HTTP Status Code: 400

ApplicationNameRequiredException

The minimum number of required application names was not specified.

HTTP Status Code: 400

InvalidApplicationNameException

The application name was specified in an invalid format.

HTTP Status Code: 400

InvalidRevisionException

The revision was specified in an invalid format.

HTTP Status Code: 400

RevisionDoesNotExistException

The named revision does not exist with the applicable IAM user or AWS account.

HTTP Status Code: 400

RevisionRequiredException

The revision ID was not specified.

HTTP Status Code: 400

Example

Sample Request

```
POST / HTTP/1.1
Host: codedeploy.us-east-1.amazonaws.com
Accept-Encoding: identity
Content-Length: 215
X-Amz-Target: CodeDeploy_20141006.GetApplicationRevision
X-Amz-Date: 20160707T015403Z
User-Agent: aws-cli/1.10.6 Python/2.7.9 Windows/7 botocore/1.3.28
Content-Type: application/x-amz-json-1.1
Authorization: AWS4-HMAC-SHA256 Credential=AKIAIOSFODNN7EXAMPLE/20160707/us-east-1/codedeploy/aws4_request,
  SignedHeaders=content-type;host;user-agent;x-amz-date;x-amz-target,
  Signature=39c3b3042cd2aEXAMPLE

{
  "applicationName": "TestApp-us-east-1",
  "revision": {
    "revisionType": "S3",
    "s3Location": {
      "bundleType": "zip",
      "eTag": "fff9102ckv48b652bf903700453f7408",
      "bucket": "project-1234",
      "key": "North-App.zip"
    }
  }
}
```

Sample Response

```
HTTP/1.1 200 OK
x-amzn-RequestId: 410338f8-88e0-11e5-bb59-fb8eade0dfc3
Content-Type: application/x-amz-json-1.1
Content-Length: 416

{
  "applicationName": "TestApp-us-east-1",
  "revision": {
    "revisionType": "S3",
    "s3Location": {
      "bucket": "project-1234",
      "bundleType": "zip",
      "eTag": "abc9102cff48b652bf903765453f7408",
      "key": "North-App.zip"
    }
  },
  "revisionInfo": {
    "deploymentGroups": [],
    "description": "Application revision registered by Deployment ID: d-D1EGTDV3C",
    "firstUsedTime": 1446232255.734,
  }
}
```

```
    "lastUsedTime": 1446232255.734,  
    "registerTime": 1446232255.734  
  }  
}
```

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java](#)
- [AWS SDK for JavaScript](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V2](#)

GetDeployment

Gets information about a deployment.

Request Syntax

```
{
  "deploymentId": "string"
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#) (p. 178).

The request accepts the following data in JSON format.

deploymentId (p. 71)

A deployment ID associated with the applicable IAM user or AWS account.

Type: String

Required: Yes

Response Syntax

```
{
  "deploymentInfo": {
    "additionalDeploymentStatusInfo": "string",
    "applicationName": "string",
    "autoRollbackConfiguration": {
      "enabled": boolean,
      "events": [ "string" ]
    },
    "blueGreenDeploymentConfiguration": {
      "deploymentReadyOption": {
        "actionOnTimeout": "string",
        "waitTimeInMinutes": number
      },
      "greenFleetProvisioningOption": {
        "action": "string"
      },
      "terminateBlueInstancesOnDeploymentSuccess": {
        "action": "string",
        "terminationWaitTimeInMinutes": number
      }
    },
    "completeTime": number,
    "createTime": number,
    "creator": "string",
    "deploymentConfigName": "string",
    "deploymentGroupName": "string",
    "deploymentId": "string",
    "deploymentOverview": {
      "Failed": number,
      "InProgress": number,
      "Pending": number,

```



```
    "Ready": number,
    "Skipped": number,
    "Succeeded": number
  },
  "deploymentStyle": {
    "deploymentOption": "string",
    "deploymentType": "string"
  },
  "description": "string",
  "errorInformation": {
    "code": "string",
    "message": "string"
  },
  "ignoreApplicationStopFailures": boolean,
  "instanceTerminationWaitTimeStarted": boolean,
  "loadBalancerInfo": {
    "elbInfoList": [
      {
        "name": "string"
      }
    ]
  },
  "revision": {
    "gitHubLocation": {
      "commitId": "string",
      "repository": "string"
    },
    "revisionType": "string",
    "s3Location": {
      "bucket": "string",
      "bundleType": "string",
      "eTag": "string",
      "key": "string",
      "version": "string"
    }
  },
  "rollbackInfo": {
    "rollbackDeploymentId": "string",
    "rollbackMessage": "string",
    "rollbackTriggeringDeploymentId": "string"
  },
  "startTime": number,
  "status": "string",
  "targetInstances": {
    "autoScalingGroups": [ "string" ],
    "tagFilters": [
      {
        "Key": "string",
        "Type": "string",
        "Value": "string"
      }
    ]
  },
  "updateOutdatedInstancesOnly": boolean
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response. The following data is returned in JSON format by the service.

deploymentInfo (p. 71)

Information about the deployment.

Type: [DeploymentInfo](#) (p. 149) object

Errors

For information about the errors that are common to all actions, see [Common Errors](#) (p. 180).

DeploymentDoesNotExistException

The deployment does not exist with the applicable IAM user or AWS account.

HTTP Status Code: 400

DeploymentIdRequiredException

At least one deployment ID must be specified.

HTTP Status Code: 400

InvalidDeploymentIdException

At least one of the deployment IDs was specified in an invalid format.

HTTP Status Code: 400

Example

Sample Request

```
POST / HTTP/1.1
Host: codedeploy.us-east-1.amazonaws.com
Accept-Encoding: identity
Content-Length: 31
X-Amz-Target: CodeDeploy_20141006.GetDeployment
X-Amz-Date: 20160707T015545Z
User-Agent: aws-cli/1.10.6 Python/2.7.9 Windows/7 boto-core/1.3.28
Content-Type: application/x-amz-json-1.1
Authorization: AWS4-HMAC-SHA256 Credential=AKIAIOSFODNN7EXAMPLE/20160707/us-east-1/codedeploy/aws4_request,
SignedHeaders=content-type;host;user-agent;x-amz-date;x-amz-target,
Signature=39c3b3042cd2aEXAMPLE

{
  "deploymentId": "d-74D24AS7X"
}
```

Sample Response

```
HTTP/1.1 200 OK
x-amzn-RequestId: 7dca4dcf-88e0-11e5-96e5-5hjlee0ce84e
Content-Type: application/x-amz-json-1.1
Content-Length: 622

{
```

```
"deploymentInfo": {
  "applicationName": "TestApp-us-east-1",
  "completeTime": 1446232681.319,
  "createTime": 1446232639.487,
  "creator": "user",
  "deploymentConfigName": "CodeDeployDefault.OneAtATime",
  "deploymentGroupName": "dep-group-def-456",
  "deploymentId": "d-74D35AS7C",
  "deploymentOverview": {
    "Failed": 0,
    "InProgress": 0,
    "Pending": 0,
    "Skipped": 0,
    "Succeeded": 1
  },
  "description": "Deployment for project 8FHE43",
  "ignoreApplicationStopFailures": false,
  "revision": {
    "revisionType": "S3",
    "s3Location": {
      "bucket": "project-1234",
      "bundleType": "zip",
      "eTag": "3fdd7b968314a096d5af1d649e26a4a",
      "key": "North-App.zip"
    }
  },
  "startTime": 1446744188.711,
  "status": "Succeeded"
}
```

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java](#)
- [AWS SDK for JavaScript](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V2](#)

GetDeploymentConfig

Gets information about a deployment configuration.

Request Syntax

```
{  
  "deploymentConfigName": "string"  
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#) (p. 178).

The request accepts the following data in JSON format.

deploymentConfigName (p. 75)

The name of a deployment configuration associated with the applicable IAM user or AWS account.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 100.

Required: Yes

Response Syntax

```
{  
  "deploymentConfigInfo": {  
    "createTime": number,  
    "deploymentConfigId": "string",  
    "deploymentConfigName": "string",  
    "minimumHealthyHosts": {  
      "type": "string",  
      "value": number  
    }  
  }  
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

deploymentConfigInfo (p. 75)

Information about the deployment configuration.

Type: [DeploymentConfigInfo](#) (p. 146) object

Errors

For information about the errors that are common to all actions, see [Common Errors](#) (p. 180).

DeploymentConfigDoesNotExistException

The deployment configuration does not exist with the applicable IAM user or AWS account.

HTTP Status Code: 400

DeploymentConfigNameRequiredException

The deployment configuration name was not specified.

HTTP Status Code: 400

InvalidDeploymentConfigNameException

The deployment configuration name was specified in an invalid format.

HTTP Status Code: 400

Example

Sample Request

```
POST / HTTP/1.1
Host: codedeploy.us-east-1.amazonaws.com
Accept-Encoding: identity
Content-Length: 56
X-Amz-Target: CodeDeploy_20141006.GetDeploymentConfig
X-Amz-Date: 20160707T015738Z
User-Agent: aws-cli/1.10.6 Python/2.7.9 Windows/7 botocore/1.3.28
Content-Type: application/x-amz-json-1.1
Authorization: AWS4-HMAC-SHA256 Credential=AKIAIOSFODNN7EXAMPLE/20160707/us-east-1/codedeploy/aws4_request,
SignedHeaders=content-type;host;user-agent;x-amz-date;x-amz-target,
Signature=39c3b3042cd2aEXAMPLE

{
  "deploymentConfigName": "CodeDeployDefault.OneAtATime"
}
```

Sample Response

```
HTTP/1.1 200 OK
x-amzn-RequestId: c177704f-88e0-11e5-b497-75c493756c4d
Content-Type: application/x-amz-json-1.1
Content-Length: 200

{
  "deploymentConfigInfo": {
    "createTime": 1446744188.711,
    "deploymentConfigId": "00000000-0000-0000-0000-000000000001",
    "deploymentConfigName": "CodeDeployDefault.OneAtATime",
    "minimumHealthyHosts": {
      "type": "MOST_CONCURRENCY",
      "value": 1
    }
  }
}
```

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)

- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java](#)
- [AWS SDK for JavaScript](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V2](#)

GetDeploymentGroup

Gets information about a deployment group.

Request Syntax

```
{  
  "applicationName": "string",  
  "deploymentGroupName": "string"  
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#) (p. 178).

The request accepts the following data in JSON format.

applicationName (p. 78)

The name of an AWS CodeDeploy application associated with the applicable IAM user or AWS account.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 100.

Required: Yes

deploymentGroupName (p. 78)

The name of an existing deployment group for the specified application.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 100.

Required: Yes

Response Syntax

```
{  
  "deploymentGroupInfo": {  
    "alarmConfiguration": {  
      "alarms": [  
        {  
          "name": "string"  
        }  
      ],  
      "enabled": boolean,  
      "ignorePollAlarmFailure": boolean  
    },  
    "applicationName": "string",  
    "autoRollbackConfiguration": {  
      "enabled": boolean,  
      "events": [ "string" ]  
    },  
    "autoScalingGroups": [  
      {  
        "hook": "string",  
        "name": "string"  
      }  
    ],  
  }
```

```

"blueGreenDeploymentConfiguration": {
  "deploymentReadyOption": {
    "actionOnTimeout": "string",
    "waitTimeInMinutes": number
  },
  "greenFleetProvisioningOption": {
    "action": "string"
  },
  "terminateBlueInstancesOnDeploymentSuccess": {
    "action": "string",
    "terminationWaitTimeInMinutes": number
  }
},
"deploymentConfigName": "string",
"deploymentGroupId": "string",
"deploymentGroupName": "string",
"deploymentStyle": {
  "deploymentOption": "string",
  "deploymentType": "string"
},
"ec2TagFilters": [
  {
    "Key": "string",
    "Type": "string",
    "Value": "string"
  }
],
"loadBalancerInfo": {
  "elbInfoList": [
    {
      "name": "string"
    }
  ]
},
"onPremisesInstanceTagFilters": [
  {
    "Key": "string",
    "Type": "string",
    "Value": "string"
  }
],
"serviceRoleArn": "string",
"targetRevision": {
  "gitHubLocation": {
    "commitId": "string",
    "repository": "string"
  },
  "revisionType": "string",
  "s3Location": {
    "bucket": "string",
    "bundleType": "string",
    "eTag": "string",
    "key": "string",
    "version": "string"
  }
},
"triggerConfigurations": [
  {
    "triggerEvents": [ "string" ],

```



```
        "triggerName": "string",  
        "triggerTargetArn": "string"  
    }  
  ]  
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.
The following data is returned in JSON format by the service.

deploymentGroupInfo (p. 78)

Information about the deployment group.
Type: [DeploymentGroupInfo \(p. 147\)](#) object

Errors

For information about the errors that are common to all actions, see [Common Errors \(p. 180\)](#).

ApplicationDoesNotExistException

The application does not exist with the applicable IAM user or AWS account.
HTTP Status Code: 400

ApplicationNameRequiredException

The minimum number of required application names was not specified.
HTTP Status Code: 400

DeploymentGroupDoesNotExistException

The named deployment group does not exist with the applicable IAM user or AWS account.
HTTP Status Code: 400

DeploymentGroupNameRequiredException

The deployment group name was not specified.
HTTP Status Code: 400

InvalidApplicationNameException

The application name was specified in an invalid format.
HTTP Status Code: 400

InvalidDeploymentGroupNameException

The deployment group name was specified in an invalid format.
HTTP Status Code: 400

Example

Sample Request

```
POST / HTTP/1.1  
Host: codedeploy.us-east-1.amazonaws.com  
Accept-Encoding: identity  
Content-Length: 99  
X-Amz-Target: CodeDeploy_20141006.GetDeploymentGroup  
X-Amz-Date: 20160707T020047Z  
User-Agent: aws-cli/1.10.6 Python/2.7.9 Windows/7 botocore/1.3.28  
Content-Type: application/x-amz-json-1.1
```

```
Authorization: AWS4-HMAC-SHA256 Credential=AKIAIOSFODNN7EXAMPLE/20160707/us-east-1/codedeploy/aws4_request,
SignedHeaders=content-type;host;user-agent;x-amz-date;x-amz-target,
Signature=39c3b3042cd2aEXAMPLE

{
  "applicationName": "TestApp-us-east-1",
  "deploymentGroupName": "dep-group-def-456"
}
```

Sample Response

```
HTTP/1.1 200 OK
x-amzn-RequestId: 31b0d6a4-88e1-11e5-bb59-fb8eade0dfc3
Content-Type: application/x-amz-json-1.1
Content-Length: 646

{
  "deploymentGroupInfo": {
    "applicationName": "TestApp-us-east-1",
    "autoScalingGroups": [],
    "deploymentConfigName": "CodeDeployDefault.OneAtATime",
    "deploymentGroupId": "c565c0f7-8927-45d5-ab11-c16c4b0540b6",
    "deploymentGroupName": "dep-group-def-456",
    "ec2TagFilters": [
      {
        "Key": "Name",
        "Type": "KEY_AND_VALUE",
        "Value": "grp-c-inst-1"
      }
    ],
    "onPremisesInstanceTagFilters": [],
    "serviceRoleArn": "arn:aws:iam::444455556666:role/AnyCompany-service-role",
    "targetRevision": {
      "revisionType": "S3",
      "s3Location": {
        "bucket": "project-1234",
        "bundleType": "zip",
        "eTag": "3fdd7b9193231a096d5af1d649e26a4a",
        "key": "North-App.zip"
      },
      "triggerConfigurations": [
        {
          "triggerEvents": [
            "DeploymentFailure"
          ],
          "triggerName": "Trigger-group-us-east-1-deploy-fail",
          "triggerTargetArn": "arn:aws:sns:us-east-1:80398EXAMPLE:us-east-deploy-fail"
        }
      ]
    }
  }
}
```

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java](#)
- [AWS SDK for JavaScript](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V2](#)

GetDeploymentInstance

Gets information about an instance as part of a deployment.

Request Syntax

```
{
  "deploymentId": "string",
  "instanceId": "string"
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#) (p. 178).

The request accepts the following data in JSON format.

deploymentId (p. 83)

The unique ID of a deployment.

Type: String

Required: Yes

instanceId (p. 83)

The unique ID of an instance in the deployment group.

Type: String

Required: Yes

Response Syntax

```
{
  "instanceSummary": {
    "deploymentId": "string",
    "instanceId": "string",
    "instanceType": "string",
    "lastUpdatedAt": number,
    "lifecycleEvents": [
      {
        "diagnostics": {
          "errorCode": "string",
          "logTail": "string",
          "message": "string",
          "scriptName": "string"
        },
        "endTime": number,
        "lifecycleEventName": "string",
        "startTime": number,
        "status": "string"
      }
    ],
    "status": "string"
  }
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response. The following data is returned in JSON format by the service.

instanceSummary (p. 83)

Information about the instance.

Type: [InstanceSummary](#) (p. 164) object

Errors

For information about the errors that are common to all actions, see [Common Errors](#) (p. 180).

DeploymentDoesNotExistException

The deployment does not exist with the applicable IAM user or AWS account.

HTTP Status Code: 400

DeploymentIdRequiredException

At least one deployment ID must be specified.

HTTP Status Code: 400

InstanceDoesNotExistException

The specified instance does not exist in the deployment group.

HTTP Status Code: 400

InstanceIdRequiredException

The instance ID was not specified.

HTTP Status Code: 400

InvalidDeploymentIdException

At least one of the deployment IDs was specified in an invalid format.

HTTP Status Code: 400

InvalidInstanceNameException

The specified on-premises instance name was specified in an invalid format.

HTTP Status Code: 400

Example

Sample Request

```
POST / HTTP/1.1
Host: codedeploy.us-east-1.amazonaws.com
Accept-Encoding: identity
Content-Length: 59
X-Amz-Target: CodeDeploy_20141006.GetDeploymentInstance
X-Amz-Date: 20160707T020504Z
User-Agent: aws-cli/1.10.6 Python/2.7.9 Windows/7 botocore/1.3.28
Content-Type: application/x-amz-json-1.1
Authorization: AWS4-HMAC-SHA256 Credential=AKIAIOSFODNN7EXAMPLE/20160707/us-east-1/codedeploy/aws4_request,
SignedHeaders=content-type;host;user-agent;x-amz-date;x-amz-target,
Signature=39c3b3042cd2aEXAMPLE
{
```

```
"instanceId": "i-496636f700EXAMPLE",  
"deploymentId": "d-7539MBT7C"  
}
```

Sample Response

```
HTTP/1.1 200 OK  
x-amzn-RequestId: caf06837-88e1-11e5-b0f5-a331fa97e4b5  
Content-Type: application/x-amz-json-1.1  
Content-Length: 1628  
  
{  
  "instanceSummary": {  
    "deploymentId": "d-75I7MBT7C",  
    "instanceId": "arn:aws:ec2:us-east-1:444455556666:instance/  
i-496589f700EXAMPLE",  
    "lastUpdatedAt": 1446744207.564,  
    "lifecycleEvents": [  
      {  
        "diagnostics": {  
          "errorCode": "Success",  
          "logTail": "",  
          "message": "Succeeded",  
          "scriptName": ""  
        },  
        "endTime": 1446744188.711,  
        "lifecycleEventName": "ApplicationStop",  
        "startTime": 1446744188.595,  
        "status": "Succeeded"  
      },  
      {  
        "diagnostics": {  
          "errorCode": "Success",  
          "logTail": "",  
          "message": "Succeeded",  
          "scriptName": ""  
        },  
        "endTime": 1446744190.402,  
        "lifecycleEventName": "DownloadBundle",  
        "startTime": 1446744189.827,  
        "status": "Succeeded"  
      },  
      {  
        "diagnostics": {  
          "errorCode": "Success",  
          "logTail": "",  
          "message": "Succeeded",  
          "scriptName": ""  
        },  
        "endTime": 1446744196.971,  
        "lifecycleEventName": "BeforeInstall",  
        "startTime": 1446744192.922,  
        "status": "Succeeded"  
      },  
      {  
        "diagnostics": {  
          "errorCode": "Success",  
          "logTail": "",
```

```
        "message": "Succeeded",
        "scriptName": ""
    },
    "endTime": 1446744198.23,
    "lifecycleEventName": "Install",
    "startTime": 1446744198.084,
    "status": "Succeeded"
},
{
    "diagnostics": {
        "errorCode": "Success",
        "logTail": "",
        "message": "Succeeded",
        "scriptName": ""
    },
    "endTime": 1446744200.299,
    "lifecycleEventName": "AfterInstall",
    "startTime": 1446744200.185,
    "status": "Succeeded"
},
{
    "diagnostics": {
        "errorCode": "Success",
        "logTail": "",
        "message": "Succeeded",
        "scriptName": ""
    },
    "endTime": 1446744203.12,
    "lifecycleEventName": "ApplicationStart",
    "startTime": 1446744202.983,
    "status": "Succeeded"
},
{
    "diagnostics": {
        "errorCode": "Success",
        "logTail": "",
        "message": "Succeeded",
        "scriptName": ""
    },
    "endTime": 1446744204.558,
    "lifecycleEventName": "ValidateService",
    "startTime": 1446744204.438,
    "status": "Succeeded"
}
],
"status": "Succeeded"
}
```

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go](#)

- [AWS SDK for Java](#)
- [AWS SDK for JavaScript](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V2](#)

GetOnPremisesInstance

Gets information about an on-premises instance.

Request Syntax

```
{  
  "instanceName": "string"  
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#) (p. 178).

The request accepts the following data in JSON format.

instanceName (p. 88)

The name of the on-premises instance about which to get information.

Type: String

Required: Yes

Response Syntax

```
{  
  "instanceInfo": {  
    "deregisterTime": number,  
    "iamSessionArn": "string",  
    "iamUserArn": "string",  
    "instanceArn": "string",  
    "instanceName": "string",  
    "registerTime": number,  
    "tags": [  
      {  
        "Key": "string",  
        "Value": "string"  
      }  
    ]  
  }  
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

instanceInfo (p. 88)

Information about the on-premises instance.

Type: [InstanceInfo](#) (p. 163) object

Errors

For information about the errors that are common to all actions, see [Common Errors](#) (p. 180).

InstanceNameRequiredException

An on-premises instance name was not specified.
HTTP Status Code: 400

InstanceNotRegisteredException

The specified on-premises instance is not registered.
HTTP Status Code: 400

InvalidInstanceNameException

The specified on-premises instance name was specified in an invalid format.
HTTP Status Code: 400

Example

Sample Request

```
POST / HTTP/1.1
Host: codedeploy.us-east-1.amazonaws.com
Accept-Encoding: identity
Content-Length: 31
X-Amz-Target: CodeDeploy_20141006.GetOnPremisesInstance
X-Amz-Date: 20160707T020614Z
User-Agent: aws-cli/1.10.6 Python/2.7.9 Windows/7 botocore/1.3.28
Content-Type: application/x-amz-json-1.1
Authorization: AWS4-HMAC-SHA256 Credential=AKIAIOSFODNN7EXAMPLE/20160707/us-east-1/codedeploy/aws4_request,
  SignedHeaders=content-type;host;user-agent;x-amz-date;x-amz-target,
  Signature=39c3b3042cd2aEXAMPLE

{
  "instanceName": "grp-c-inst-2"
}
```

Sample Response

```
HTTP/1.1 200 OK
x-amzn-RequestId: caf06837-88e1-11e5-b0f5-a331fa97e4b5
Content-Type: application/x-amz-json-1.1
Content-Length: 386

{
  "InstanceInfo": {
    "deregisterTime": 1.446744190402E9,
    "iamUserArn": "arn:aws:iam::444455556666:user/janedoe",
    "instanceArn": "arn:aws:codedeploy:us-east-1:444455556666:instance/grp-e-inst-3_EJFIFC3LrD",
    "instanceName": "grp-o-inst-7",
    "registerTime": 1.446744207564E9,
    "tags": [
      {
        "Key": "Name",
        "Value": "Cost-Center-765"
      }
    ]
  }
}
```

```
}  
}
```

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java](#)
- [AWS SDK for JavaScript](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V2](#)

ListApplicationRevisions

Lists information about revisions for an application.

Request Syntax

```
{
  "applicationName": "string",
  "deployed": "string",
  "nextToken": "string",
  "s3Bucket": "string",
  "s3KeyPrefix": "string",
  "sortBy": "string",
  "sortOrder": "string"
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#) (p. 178).

The request accepts the following data in JSON format.

applicationName (p. 91)

The name of an AWS CodeDeploy application associated with the applicable IAM user or AWS account.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 100.

Required: Yes

deployed (p. 91)

Whether to list revisions based on whether the revision is the target revision of a deployment group:

- include: List revisions that are target revisions of a deployment group.
- exclude: Do not list revisions that are target revisions of a deployment group.
- ignore: List all revisions.

Type: String

Valid Values: `include` | `exclude` | `ignore`

Required: No

nextToken (p. 91)

An identifier returned from the previous list application revisions call. It can be used to return the next set of applications in the list.

Type: String

Required: No

s3Bucket (p. 91)

An Amazon S3 bucket name to limit the search for revisions.

If set to null, all of the user's buckets will be searched.

Type: String

Required: No

s3KeyPrefix (p. 91)

A key prefix for the set of Amazon S3 objects to limit the search for revisions.

Type: String

Required: No

sortBy (p. 91)

The column name to use to sort the list results:

- registerTime: Sort by the time the revisions were registered with AWS CodeDeploy.
- firstUsedTime: Sort by the time the revisions were first used in a deployment.
- lastUsedTime: Sort by the time the revisions were last used in a deployment.

If not specified or set to null, the results will be returned in an arbitrary order.

Type: String

Valid Values: registerTime | firstUsedTime | lastUsedTime

Required: No

sortOrder (p. 91)

The order in which to sort the list results:

- ascending: ascending order.
 - descending: descending order.
- If not specified, the results will be sorted in ascending order.

If set to null, the results will be sorted in an arbitrary order.

Type: String

Valid Values: ascending | descending

Required: No

Response Syntax

```
{
  "nextToken": "string",
  "revisions": [
    {
      "gitHubLocation": {
        "commitId": "string",
        "repository": "string"
      },
      "revisionType": "string",
      "s3Location": {
        "bucket": "string",
        "bundleType": "string",
        "eTag": "string",
        "key": "string",
        "version": "string"
      }
    }
  ]
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

nextToken (p. 92)

If a large amount of information is returned, an identifier will also be returned. It can be used in a subsequent list application revisions call to return the next set of application revisions in the list.

Type: String

[revisions \(p. 92\)](#)

A list of locations that contain the matching revisions.

Type: array of [RevisionLocation \(p. 170\)](#) objects

Errors

For information about the errors that are common to all actions, see [Common Errors \(p. 180\)](#).

ApplicationDoesNotExistException

The application does not exist with the applicable IAM user or AWS account.

HTTP Status Code: 400

ApplicationNameRequiredException

The minimum number of required application names was not specified.

HTTP Status Code: 400

BucketNameFilterRequiredException

A bucket name is required, but was not provided.

HTTP Status Code: 400

InvalidApplicationNameException

The application name was specified in an invalid format.

HTTP Status Code: 400

InvalidBucketNameFilterException

The bucket name either doesn't exist or was specified in an invalid format.

HTTP Status Code: 400

InvalidDeployedStateFilterException

The deployed state filter was specified in an invalid format.

HTTP Status Code: 400

InvalidKeyPrefixFilterException

The specified key prefix filter was specified in an invalid format.

HTTP Status Code: 400

InvalidNextTokenException

The next token was specified in an invalid format.

HTTP Status Code: 400

InvalidSortByException

The column name to sort by is either not present or was specified in an invalid format.

HTTP Status Code: 400

InvalidSortOrderException

The sort order was specified in an invalid format.

HTTP Status Code: 400

Example

Sample Request

```
POST / HTTP/1.1
Host: codedeploy.us-east-1.amazonaws.com
Accept-Encoding: identity
Content-Length: 45
X-Amz-Target: CodeDeploy_20141006.ListApplicationRevisions
```

AWS CodeDeploy API Reference Example

```
X-Amz-Date: 20160707T021008Z
User-Agent: aws-cli/1.10.6 Python/2.7.9 Windows/7 botocore/1.3.28
Content-Type: application/x-amz-json-1.1
Authorization: AWS4-HMAC-SHA256 Credential=AKIAIOSFODNN7EXAMPLE/20160707/us-east-1/codedeploy/aws4_request,
  SignedHeaders=content-type;host;user-agent;x-amz-date;x-amz-target,
  Signature=39c3b3042cd2aEXAMPLE

{
  "applicationName": "TestApp-us-east-1"
}
```

Sample Response

```
HTTP/1.1 200 OK
x-amzn-RequestId: 8000a419-88e2-11e5-b497-75c493756c4d
Content-Type: application/x-amz-json-1.1
Content-Length: 611

{
  "revisions": [
    {
      "revisionType": "S3",
      "s3Location": {
        "bucket": "project-1234",
        "bundleType": "zip",
        "eTag": "3fdd7b3456697a096d5af1d649e26a4a",
        "key": "North-App.zip"
      }
    },
    {
      "revisionType": "S3",
      "s3Location": {
        "bucket": "project-1234",
        "bundleType": "zip",
        "eTag": "\"3fdd7b9142497a096d5af1d649e26a4a\"",
        "key": "North-App.zip"
      }
    },
    {
      "revisionType": "S3",
      "s3Location": {
        "bucket": "project-1234",
        "bundleType": "zip",
        "eTag": "ffe5402cff48b652bf903700453f7408",
        "key": "North-App.zip"
      }
    },
    {
      "revisionType": "S3",
      "s3Location": {
        "bucket": "project-1234",
        "bundleType": "zip",
        "eTag": "fff9102vdf48b652bf903700453f7408",
        "key": "North-App.zip"
      }
    }
  ]
}
```

```
}
```

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java](#)
- [AWS SDK for JavaScript](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V2](#)

ListApplications

Lists the applications registered with the applicable IAM user or AWS account.

Request Syntax

```
{  
  "nextToken": "string"  
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters \(p. 178\)](#).

The request accepts the following data in JSON format.

nextToken (p. 96)

An identifier returned from the previous list applications call. It can be used to return the next set of applications in the list.

Type: String

Required: No

Response Syntax

```
{  
  "applications": [ "string" ],  
  "nextToken": "string"  
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

applications (p. 96)

A list of application names.

Type: array of Strings

Length Constraints: Minimum length of 1. Maximum length of 100.

nextToken (p. 96)

If a large amount of information is returned, an identifier is also returned. It can be used in a subsequent list applications call to return the next set of applications, will also be returned. in the list.

Type: String

Errors

For information about the errors that are common to all actions, see [Common Errors \(p. 180\)](#).

InvalidNextTokenException

The next token was specified in an invalid format.

HTTP Status Code: 400

Example

Sample Request

```
POST / HTTP/1.1
Host: codedeploy.us-east-1.amazonaws.com
Accept-Encoding: identity
Content-Length: 2
X-Amz-Target: CodeDeploy_20141006.ListApplications
X-Amz-Date: 20160707T021119Z
User-Agent: aws-cli/1.10.6 Python/2.7.9 Windows/7 botocore/1.3.28
Content-Type: application/x-amz-json-1.1
Authorization: AWS4-HMAC-SHA256 Credential=AKIAIOSFODNN7EXAMPLE/20160707/us-east-1/codedeploy/aws4_request,
SignedHeaders=content-type;host;user-agent;x-amz-date;x-amz-target,
Signature=39c3b3042cd2aEXAMPLE
```

Sample Response

```
HTTP/1.1 200 OK
x-amzn-RequestId: aa51ec1f-88e2-11e5-9958-cd5094947bf1
Content-Type: application/x-amz-json-1.1
Content-Length: 211

{
  "applications": [
    "TestApp-eu-west-1",
    "ProductionApp-us-west-2",
    "TestApp-us-east-1",
    "ProductionApp-us-east-1",
    "TestApp-ap-northeast-1",
    "ProductionApp-eu-central-1",
    "ProductionApp-us-west-2"
  ]
}
```

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java](#)
- [AWS SDK for JavaScript](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V2](#)

ListDeploymentConfigs

Lists the deployment configurations with the applicable IAM user or AWS account.

Request Syntax

```
{  
  "nextToken": "string"  
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#) (p. 178).

The request accepts the following data in JSON format.

nextToken (p. 98)

An identifier returned from the previous list deployment configurations call. It can be used to return the next set of deployment configurations in the list.

Type: String

Required: No

Response Syntax

```
{  
  "deploymentConfigsList": [ "string" ],  
  "nextToken": "string"  
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

deploymentConfigsList (p. 98)

A list of deployment configurations, including built-in configurations such as CodeDeployDefault.OneAtATime.

Type: array of Strings

Length Constraints: Minimum length of 1. Maximum length of 100.

nextToken (p. 98)

If a large amount of information is returned, an identifier is also returned. It can be used in a subsequent list deployment configurations call to return the next set of deployment configurations in the list.

Type: String

Errors

For information about the errors that are common to all actions, see [Common Errors](#) (p. 180).

InvalidNextTokenException

The next token was specified in an invalid format.

HTTP Status Code: 400

Example

Sample Request

```
POST / HTTP/1.1
Host: codedeploy.us-east-1.amazonaws.com
Accept-Encoding: identity
Content-Length: 2
X-Amz-Target: CodeDeploy_20141006.ListDeploymentConfigs
X-Amz-Date: 20160707T021208Z
User-Agent: aws-cli/1.10.6 Python/2.7.9 Windows/7 boto/1.3.28
Content-Type: application/x-amz-json-1.1
Authorization: AWS4-HMAC-SHA256 Credential=AKIAIOSFODNN7EXAMPLE/20160707/us-east-1/codedeploy/aws4_request,
  SignedHeaders=content-type;host;user-agent;x-amz-date;x-amz-target,
  Signature=39c3b3042cd2aEXAMPLE

{
}
```

Sample Response

```
HTTP/1.1 200 OK
x-amzn-RequestId: c7c4ae40-88e2-11e5-9958-cd5094947bf1
Content-Type: application/x-amz-json-1.1
Content-Length: 223

{
  "deploymentConfigsList": [
    "CustomConfig.One",
    "ThreeQuartersHealthy",
    "MyCustomDeploymentConfig-OneAtATime",
    "Project-ABCCConfig",
    "CodeDeployDefault.OneAtATime",
    "CodeDeployDefault.AllAtOnce",
    "CodeDeployDefault.HalfAtATime"
  ]
}
```

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java](#)
- [AWS SDK for JavaScript](#)

- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V2](#)

ListDeploymentGroups

Lists the deployment groups for an application registered with the applicable IAM user or AWS account.

Request Syntax

```
{  
  "applicationName": "string",  
  "nextToken": "string"  
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters \(p. 178\)](#).

The request accepts the following data in JSON format.

applicationName (p. 101)

The name of an AWS CodeDeploy application associated with the applicable IAM user or AWS account.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 100.

Required: Yes

nextToken (p. 101)

An identifier returned from the previous list deployment groups call. It can be used to return the next set of deployment groups in the list.

Type: String

Required: No

Response Syntax

```
{  
  "applicationName": "string",  
  "deploymentGroups": [ "string" ],  
  "nextToken": "string"  
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

applicationName (p. 101)

The application name.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 100.

deploymentGroups (p. 101)

A list of corresponding deployment group names.

Type: array of Strings

Length Constraints: Minimum length of 1. Maximum length of 100.

nextToken (p. 101)

If a large amount of information is returned, an identifier is also returned. It can be used in a subsequent list deployment groups call to return the next set of deployment groups in the list.

Type: String

Errors

For information about the errors that are common to all actions, see [Common Errors \(p. 180\)](#).

ApplicationDoesNotExistException

The application does not exist with the applicable IAM user or AWS account.

HTTP Status Code: 400

ApplicationNameRequiredException

The minimum number of required application names was not specified.

HTTP Status Code: 400

InvalidApplicationNameException

The application name was specified in an invalid format.

HTTP Status Code: 400

InvalidNextTokenException

The next token was specified in an invalid format.

HTTP Status Code: 400

Example

Sample Request

```
POST / HTTP/1.1
Host: codedeploy.us-east-1.amazonaws.com
Accept-Encoding: identity
Content-Length: 45
X-Amz-Target: CodeDeploy_20141006.ListDeploymentGroups
X-Amz-Date: 20160707T021406Z
User-Agent: aws-cli/1.10.6 Python/2.7.9 Windows/7 botocore/1.3.28
Content-Type: application/x-amz-json-1.1
Authorization: AWS4-HMAC-SHA256 Credential=AKIAIOSFODNN7EXAMPLE/20160707/us-east-1/codedeploy/aws4_request,
SignedHeaders=content-type;host;user-agent;x-amz-date;x-amz-target,
Signature=39c3b3042cd2aEXAMPLE

{
  "applicationName": "TestApp-us-east-1"
}
```

Sample Response

```
HTTP/1.1 200 OK
x-amzn-RequestId: 0f5599cb-88e3-11e5-a087-ab26ee53e16e
Content-Type: application/x-amz-json-1.1
Content-Length: 95
```

```
{
  "applicationName": "TestApp-us-east-1",
  "deploymentGroups": [
    "dep-group-def-456"
  ]
}
```

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java](#)
- [AWS SDK for JavaScript](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V2](#)

ListDeploymentInstances

Lists the instance for a deployment associated with the applicable IAM user or AWS account.

Request Syntax

```
{  
  "deploymentId": "string",  
  "instanceStatusFilter": [ "string" ],  
  "instanceTypeFilter": [ "string" ],  
  "nextToken": "string"  
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters \(p. 178\)](#).

The request accepts the following data in JSON format.

deploymentId (p. 104)

The unique ID of a deployment.

Type: String

Required: Yes

instanceStatusFilter (p. 104)

A subset of instances to list by status:

- Pending: Include those instance with pending deployments.
- InProgress: Include those instance where deployments are still in progress.
- Succeeded: Include those instances with successful deployments.
- Failed: Include those instance with failed deployments.
- Skipped: Include those instance with skipped deployments.
- Unknown: Include those instance with deployments in an unknown state.

Type: array of Strings

Valid Values: Pending | InProgress | Succeeded | Failed | Skipped | Unknown | Ready

Required: No

instanceTypeFilter (p. 104)

The set of instances in a blue/green deployment, either those in the original environment ("BLUE") or those in the replacement environment ("GREEN"), for which you want to view instance information.

Type: array of Strings

Valid Values: Blue | Green

Required: No

nextToken (p. 104)

An identifier returned from the previous list deployment instances call. It can be used to return the next set of deployment instances in the list.

Type: String

Required: No

Response Syntax

```
{  
  "instancesList": [ "string" ],  
  "nextToken": "string"  
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response. The following data is returned in JSON format by the service.

instancesList (p. 105)

A list of instance IDs.
Type: array of Strings

nextToken (p. 105)

If a large amount of information is returned, an identifier is also returned. It can be used in a subsequent list deployment instances call to return the next set of deployment instances in the list.
Type: String

Errors

For information about the errors that are common to all actions, see [Common Errors \(p. 180\)](#).

DeploymentDoesNotExistException

The deployment does not exist with the applicable IAM user or AWS account.
HTTP Status Code: 400

DeploymentIdRequiredException

At least one deployment ID must be specified.
HTTP Status Code: 400

DeploymentNotStartedException

The specified deployment has not started.
HTTP Status Code: 400

InvalidDeploymentIdException

At least one of the deployment IDs was specified in an invalid format.
HTTP Status Code: 400

InvalidInstanceStatusException

The specified instance status does not exist.
HTTP Status Code: 400

InvalidInstanceTypeException

An invalid instance type was specified for instances in a blue/green deployment. Valid values include "Blue" for an original environment and "Green" for a replacement environment.
HTTP Status Code: 400

InvalidNextTokenException

The next token was specified in an invalid format.
HTTP Status Code: 400

Example

Sample Request

```
POST / HTTP/1.1
Host: codedeploy.us-east-1.amazonaws.com
Accept-Encoding: identity
Content-Length: 31
X-Amz-Target: CodeDeploy_20141006.ListDeploymentInstances
X-Amz-Date: 20160707T021610Z
User-Agent: aws-cli/1.10.6 Python/2.7.9 Windows/7 botocore/1.3.28
Content-Type: application/x-amz-json-1.1
Authorization: AWS4-HMAC-SHA256 Credential=AKIAIOSFODNN7EXAMPLE/20160707/us-east-1/codedeploy/aws4_request,
  SignedHeaders=content-type;host;user-agent;x-amz-date;x-amz-target,
  Signature=39c3b3042cd2aEXAMPLE

{
  "deploymentId": "d-74D25NS7C"
}
```

Sample Response

```
HTTP/1.1 200 OK
x-amzn-RequestId: 57a7b3d6-88e3-11e5-8ce3-2704437d0309
Content-Type: application/x-amz-json-1.1
Content-Length: 32

{
  "instancesList": [
    "i-b2f7jf0d00EXAMPLE"
  ]
}
```

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java](#)
- [AWS SDK for JavaScript](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V2](#)

ListDeployments

Lists the deployments in a deployment group for an application registered with the applicable IAM user or AWS account.

Request Syntax

```
{
  "applicationName": "string",
  "createTimeRange": {
    "end": number,
    "start": number
  },
  "deploymentGroupName": "string",
  "includeOnlyStatuses": [ "string" ],
  "nextToken": "string"
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters \(p. 178\)](#).

The request accepts the following data in JSON format.

applicationName (p. 107)

The name of an AWS CodeDeploy application associated with the applicable IAM user or AWS account.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 100.

Required: No

createTimeRange (p. 107)

A time range (start and end) for returning a subset of the list of deployments.

Type: [TimeRange \(p. 176\)](#) object

Required: No

deploymentGroupName (p. 107)

The name of an existing deployment group for the specified application.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 100.

Required: No

includeOnlyStatuses (p. 107)

A subset of deployments to list by status:

- Created: Include created deployments in the resulting list.
- Queued: Include queued deployments in the resulting list.
- In Progress: Include in-progress deployments in the resulting list.
- Succeeded: Include successful deployments in the resulting list.
- Failed: Include failed deployments in the resulting list.
- Stopped: Include stopped deployments in the resulting list.

Type: array of Strings

Valid Values: Created | Queued | InProgress | Succeeded | Failed | Stopped | Ready

Required: No

nextToken (p. 107)

An identifier returned from the previous list deployments call. It can be used to return the next set of deployments in the list.

Type: String

Required: No

Response Syntax

```
{  
  "deployments": [ "string" ],  
  "nextToken": "string"  
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

deployments (p. 108)

A list of deployment IDs.

Type: array of Strings

nextToken (p. 108)

If a large amount of information is returned, an identifier is also returned. It can be used in a subsequent list deployments call to return the next set of deployments in the list.

Type: String

Errors

For information about the errors that are common to all actions, see [Common Errors \(p. 180\)](#).

ApplicationDoesNotExistException

The application does not exist with the applicable IAM user or AWS account.

HTTP Status Code: 400

ApplicationNameRequiredException

The minimum number of required application names was not specified.

HTTP Status Code: 400

DeploymentGroupDoesNotExistException

The named deployment group does not exist with the applicable IAM user or AWS account.

HTTP Status Code: 400

DeploymentGroupNameRequiredException

The deployment group name was not specified.

HTTP Status Code: 400

InvalidApplicationNameException

The application name was specified in an invalid format.

HTTP Status Code: 400

InvalidDeploymentGroupNameException

The deployment group name was specified in an invalid format.

HTTP Status Code: 400

InvalidDeploymentStatusException

The specified deployment status doesn't exist or cannot be determined.

HTTP Status Code: 400

InvalidNextTokenException

The next token was specified in an invalid format.

HTTP Status Code: 400

InvalidTimeRangeException

The specified time range was specified in an invalid format.

HTTP Status Code: 400

Example

Sample Request

```
POST / HTTP/1.1
Host: codedeploy.us-east-1.amazonaws.com
Accept-Encoding: identity
Content-Length: 99
X-Amz-Target: CodeDeploy_20141006.ListDeployments
X-Amz-Date: 20160707T021907Z
User-Agent: aws-cli/1.10.6 Python/2.7.9 Windows/7 botocore/1.3.28
Content-Type: application/x-amz-json-1.1
Authorization: AWS4-HMAC-SHA256 Credential=AKIAIOSFODNN7EXAMPLE/20160707/us-east-1/codedeploy/aws4_request,
SignedHeaders=content-type;host;user-agent;x-amz-date;x-amz-target,
Signature=39c3b3042cd2aEXAMPLE

{
  "applicationName": "TestApp-us-east-1",
  "deploymentGroupName": "dep-group-def-456"
}
```

Sample Response

```
HTTP/1.1 200 OK
x-amzn-RequestId: c15efe85-88e3-11e5-8ce3-2704437d0309
Content-Type: application/x-amz-json-1.1
Content-Length: 45

{
  "deployments": [
    "d-74D87AS7C",
    "d-D1EGTDV4C"
  ]
}
```

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)

- [AWS SDK for Go](#)
- [AWS SDK for Java](#)
- [AWS SDK for JavaScript](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V2](#)

ListOnPremisesInstances

Gets a list of names for one or more on-premises instances.

Unless otherwise specified, both registered and deregistered on-premises instance names will be listed. To list only registered or deregistered on-premises instance names, use the registration status parameter.

Request Syntax

```
{
  "nextToken": "string",
  "registrationStatus": "string",
  "tagFilters": [
    {
      "Key": "string",
      "Type": "string",
      "Value": "string"
    }
  ]
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters \(p. 178\)](#).

The request accepts the following data in JSON format.

nextToken (p. 111)

An identifier returned from the previous list on-premises instances call. It can be used to return the next set of on-premises instances in the list.

Type: String

Required: No

registrationStatus (p. 111)

The registration status of the on-premises instances:

- Deregistered: Include deregistered on-premises instances in the resulting list.
- Registered: Include registered on-premises instances in the resulting list.

Type: String

Valid Values: Registered | Deregistered

Required: No

tagFilters (p. 111)

The on-premises instance tags that will be used to restrict the corresponding on-premises instance names returned.

Type: array of [TagFilter \(p. 174\)](#) objects

Required: No

Response Syntax

```
{
  "instanceNames": [ "string" ],
  "nextToken": "string"
}
```



```
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

instanceNames (p. 111)

The list of matching on-premises instance names.

Type: array of Strings

nextToken (p. 111)

If a large amount of information is returned, an identifier is also returned. It can be used in a subsequent list on-premises instances call to return the next set of on-premises instances in the list.

Type: String

Errors

For information about the errors that are common to all actions, see [Common Errors](#) (p. 180).

InvalidNextTokenException

The next token was specified in an invalid format.

HTTP Status Code: 400

InvalidRegistrationStatusException

The registration status was specified in an invalid format.

HTTP Status Code: 400

InvalidTagFilterException

The specified tag filter was specified in an invalid format.

HTTP Status Code: 400

Example

Sample Request

```
POST / HTTP/1.1
Host: codedeploy.us-east-1.amazonaws.com
Accept-Encoding: identity
Content-Length: 2
X-Amz-Target: CodeDeploy_20141006.ListOnPremisesInstances
X-Amz-Date: 20160707T022010Z
User-Agent: aws-cli/1.10.6 Python/2.7.9 Windows/7 botocore/1.3.28
Content-Type: application/x-amz-json-1.1
Authorization: AWS4-HMAC-SHA256 Credential=AKIAIOSFODNN7EXAMPLE/20160707/us-east-1/codedeploy/aws4_request,
SignedHeaders=content-type;host;user-agent;x-amz-date;x-amz-target,
Signature=39c3b3042cd2aEXAMPLE
```

Sample Response

```
HTTP/1.1 200 OK
x-amzn-RequestId: e69e5d14-88e3-11e5-bb59-fb8eade0dfc3
```

```
Content-Type: application/x-amz-json-1.1  
Content-Length: 63
```

```
{  
  "instanceNames": [  
    "grp-a-inst-1",  
    "grp-a-inst-2"  
  ]  
}
```

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java](#)
- [AWS SDK for JavaScript](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V2](#)

RegisterApplicationRevision

Registers with AWS CodeDeploy a revision for the specified application.

Request Syntax

```
{
  "applicationName": "string",
  "description": "string",
  "revision": {
    "gitHubLocation": {
      "commitId": "string",
      "repository": "string"
    },
    "revisionType": "string",
    "s3Location": {
      "bucket": "string",
      "bundleType": "string",
      "eTag": "string",
      "key": "string",
      "version": "string"
    }
  }
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters \(p. 178\)](#).

The request accepts the following data in JSON format.

applicationName (p. 114)

The name of an AWS CodeDeploy application associated with the applicable IAM user or AWS account.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 100.

Required: Yes

description (p. 114)

A comment about the revision.

Type: String

Required: No

revision (p. 114)

Information about the application revision to register, including type and location.

Type: [RevisionLocation \(p. 170\)](#) object

Required: Yes

Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

Errors

For information about the errors that are common to all actions, see [Common Errors \(p. 180\)](#).

ApplicationDoesNotExistException

The application does not exist with the applicable IAM user or AWS account.
HTTP Status Code: 400

ApplicationNameRequiredException

The minimum number of required application names was not specified.
HTTP Status Code: 400

DescriptionTooLongException

The description is too long.
HTTP Status Code: 400

InvalidApplicationNameException

The application name was specified in an invalid format.
HTTP Status Code: 400

InvalidRevisionException

The revision was specified in an invalid format.
HTTP Status Code: 400

RevisionRequiredException

The revision ID was not specified.
HTTP Status Code: 400

Example

Sample Request

```
POST / HTTP/1.1
Host: codedeploy.us-east-1.amazonaws.com
Accept-Encoding: identity
Content-Length: 257
X-Amz-Target: CodeDeploy_20141006.RegisterApplicationRevision
X-Amz-Date: 20160707T024712Z
User-Agent: aws-cli/1.10.6 Python/2.7.9 Windows/7 botocore/1.3.28
Content-Type: application/x-amz-json-1.1
Authorization: AWS4-HMAC-SHA256 Credential=AKIAIOSFODNN7EXAMPLE/20160707/us-
east-1/codedeploy/aws4_request,
SignedHeaders=content-type;host;user-agent;x-amz-date;x-amz-target,
Signature=39c3b3042cd2aEXAMPLE

{
  "applicationName": "TestApp-us-east-1",
  "description": "New application registration",
  "revision": {
    "revisionType": "S3",
    "s3Location": {
      "bundleType": "zip",
      "eTag": "3fdd7b9196697a044d5af1d649e26a4a",
      "bucket": "project-1234",
      "key": "South-App.zip"
    }
  }
}
```

Sample Response

```
HTTP/1.1 200 OK
x-amzn-RequestId: 4ccc9cf0-88c9-11e5-8ce3-2704437d0309
Content-Type: application/x-amz-json-1.1
Content-Length: 0
```

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java](#)
- [AWS SDK for JavaScript](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V2](#)

RegisterOnPremisesInstance

Registers an on-premises instance.

Note

Only one IAM ARN (an IAM session ARN or IAM user ARN) is supported in the request. You cannot use both.

Request Syntax

```
{  
  "iamSessionArn": "string",  
  "iamUserArn": "string",  
  "instanceName": "string"  
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters \(p. 178\)](#).

The request accepts the following data in JSON format.

iamSessionArn (p. 117)

The ARN of the IAM session to associate with the on-premises instance.

Type: String

Required: No

iamUserArn (p. 117)

The ARN of the IAM user to associate with the on-premises instance.

Type: String

Required: No

instanceName (p. 117)

The name of the on-premises instance to register.

Type: String

Required: Yes

Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

Errors

For information about the errors that are common to all actions, see [Common Errors \(p. 180\)](#).

IamArnRequiredException

No IAM ARN was included in the request. You must use an IAM session ARN or IAM user ARN in the request.

HTTP Status Code: 400

IamSessionArnAlreadyRegisteredException

The request included an IAM session ARN that has already been used to register a different instance.

HTTP Status Code: 400

IamUserArnAlreadyRegisteredException

The specified IAM user ARN is already registered with an on-premises instance.

HTTP Status Code: 400

IamUserArnRequiredException

An IAM user ARN was not specified.

HTTP Status Code: 400

InstanceNameAlreadyRegisteredException

The specified on-premises instance name is already registered.

HTTP Status Code: 400

InstanceNameRequiredException

An on-premises instance name was not specified.

HTTP Status Code: 400

InvalidIamSessionArnException

The IAM session ARN was specified in an invalid format.

HTTP Status Code: 400

InvalidIamUserArnException

The IAM user ARN was specified in an invalid format.

HTTP Status Code: 400

InvalidInstanceNameException

The specified on-premises instance name was specified in an invalid format.

HTTP Status Code: 400

MultipleIamArnsProvidedException

Both an IAM user ARN and an IAM session ARN were included in the request. Use only one ARN type.

HTTP Status Code: 400

Example

Sample Request

```
POST / HTTP/1.1
Host: codedeploy.us-east-1.amazonaws.com
Accept-Encoding: identity
Content-Length: 257
X-Amz-Target: CodeDeploy_20141006.RegisterOnPremisesInstance
X-Amz-Date: 20160707T024712Z
User-Agent: aws-cli/1.10.6 Python/2.7.9 Windows/7 botocore/1.3.28
Content-Type: application/x-amz-json-1.1
Authorization: AWS4-HMAC-SHA256 Credential=AKIAIOSFODNN7EXAMPLE/20160707/us-east-1/codedeploy/aws4_request,
SignedHeaders=content-type;host;user-agent;x-amz-date;x-amz-target,
Signature=39c3b3042cd2aEXAMPLE

{
  "IamUserArn": "arn:aws:iam::444455556666:user/janedoe",
  "instanceName": "grp-o-inst-5"
}
```

Sample Response

```
HTTP/1.1 200 OK
x-amzn-RequestId: 4ccc9cf0-88c9-11e5-8ce3-2704437d0309
Content-Type: application/x-amz-json-1.1
```

Content-Length: 0

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java](#)
- [AWS SDK for JavaScript](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V2](#)

RemoveTagsFromOnPremisesInstances

Removes one or more tags from one or more on-premises instances.

Request Syntax

```
{
  "instanceNames": [ "string" ],
  "tags": [
    {
      "Key": "string",
      "Value": "string"
    }
  ]
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters \(p. 178\)](#).

The request accepts the following data in JSON format.

instanceNames (p. 120)

The names of the on-premises instances from which to remove tags.

Type: array of Strings

Required: Yes

tags (p. 120)

The tag key-value pairs to remove from the on-premises instances.

Type: array of [Tag \(p. 173\)](#) objects

Required: Yes

Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

Errors

For information about the errors that are common to all actions, see [Common Errors \(p. 180\)](#).

InstanceLimitExceededException

The maximum number of allowed on-premises instances in a single call was exceeded.

HTTP Status Code: 400

InstanceNameRequiredException

An on-premises instance name was not specified.

HTTP Status Code: 400

InstanceNotRegisteredException

The specified on-premises instance is not registered.

HTTP Status Code: 400

InvalidTagException

The specified tag was specified in an invalid format.

HTTP Status Code: 400

TagLimitExceededException

The maximum allowed number of tags was exceeded.

HTTP Status Code: 400

TagRequiredException

A tag was not specified.

HTTP Status Code: 400

Example

Sample Request

```
POST / HTTP/1.1
Host: codedeploy.us-east-1.amazonaws.com
Accept-Encoding: identity
Content-Length: 31
X-Amz-Target: CodeDeploy_20141006.RemoveTagsFromOnPremisesInstances
X-Amz-Date: 20160707T025157Z
User-Agent: aws-cli/1.10.6 Python/2.7.9 Windows/7 botocore/1.3.28
Content-Type: application/x-amz-json-1.1
Authorization: AWS4-HMAC-SHA256 Credential=AKIAIOSFODNN7EXAMPLE/20160707/us-east-1/codedeploy/aws4_request,
  SignedHeaders=content-type;host;user-agent;x-amz-date;x-amz-target,
  Signature=39c3b3042cd2aEXAMPLE

{
  "instanceNames": [
    "i-b2f7jf0d00EXAMPLE",
    "i-u3d8xa3m00EXAMPLE"
  ],
  "tags": [
    {
      "Key": "Name",
      "Value": "Project-765"
    }
  ]
}
```

Sample Response

```
HTTP/1.1 200 OK
x-amzn-RequestId: 4ccc9cf0-88c9-11e5-8ce3-2704437d0309
Content-Type: application/x-amz-json-1.1
Content-Length: 0
```

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go](#)

- [AWS SDK for Java](#)
- [AWS SDK for JavaScript](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V2](#)

SkipWaitTimeForInstanceTermination

In a blue/green deployment, overrides any specified wait time and starts terminating instances immediately after the traffic routing is completed.

Request Syntax

```
{  
  "deploymentId": "string"  
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters \(p. 178\)](#).

The request accepts the following data in JSON format.

deploymentId (p. 123)

The ID of the blue/green deployment for which you want to skip the instance termination wait time.

Type: String

Required: No

Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

Errors

For information about the errors that are common to all actions, see [Common Errors \(p. 180\)](#).

DeploymentAlreadyCompletedException

The deployment is already complete.

HTTP Status Code: 400

DeploymentDoesNotExistException

The deployment does not exist with the applicable IAM user or AWS account.

HTTP Status Code: 400

DeploymentIdRequiredException

At least one deployment ID must be specified.

HTTP Status Code: 400

DeploymentNotStartedException

The specified deployment has not started.

HTTP Status Code: 400

InvalidDeploymentIdException

At least one of the deployment IDs was specified in an invalid format.

HTTP Status Code: 400

UnsupportedActionForDeploymentTypeException

A call was submitted that is not supported for the specified deployment type.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java](#)
- [AWS SDK for JavaScript](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V2](#)

StopDeployment

Attempts to stop an ongoing deployment.

Request Syntax

```
{  
  "autoRollbackEnabled": boolean,  
  "deploymentId": "string"  
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#) (p. 178).

The request accepts the following data in JSON format.

autoRollbackEnabled (p. 125)

Indicates, when a deployment is stopped, whether instances that have been updated should be rolled back to the previous version of the application revision.

Type: Boolean

Required: No

deploymentId (p. 125)

The unique ID of a deployment.

Type: String

Required: Yes

Response Syntax

```
{  
  "status": "string",  
  "statusMessage": "string"  
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

status (p. 125)

The status of the stop deployment operation:

- Pending: The stop operation is pending.
- Succeeded: The stop operation was successful.

Type: String

Valid Values: `Pending` | `Succeeded`

statusMessage (p. 125)

An accompanying status message.

Type: String

Errors

For information about the errors that are common to all actions, see [Common Errors \(p. 180\)](#).

DeploymentAlreadyCompletedException

The deployment is already complete.

HTTP Status Code: 400

DeploymentDoesNotExistException

The deployment does not exist with the applicable IAM user or AWS account.

HTTP Status Code: 400

DeploymentIdRequiredException

At least one deployment ID must be specified.

HTTP Status Code: 400

InvalidDeploymentIdException

At least one of the deployment IDs was specified in an invalid format.

HTTP Status Code: 400

Example

Sample Request

```
POST / HTTP/1.1
Host: codedeploy.us-east-1.amazonaws.com
Accept-Encoding: identity
Content-Length: 31
X-Amz-Target: CodeDeploy_20141006.StopDeployment
X-Amz-Date: 20160707T025157Z
User-Agent: aws-cli/1.10.6 Python/2.7.9 Windows/7 botocore/1.3.28
Content-Type: application/x-amz-json-1.1
Authorization: AWS4-HMAC-SHA256 Credential=AKIAIOSFODNN7EXAMPLE/20160707/us-east-1/codedeploy/aws4_request,
  SignedHeaders=content-type;host;user-agent;x-amz-date;x-amz-target,
  Signature=39c3b3042cd2aEXAMPLE

{
  "deploymentId": "d-LGUMS25CC"
}
```

Sample Response

```
HTTP/1.1 200 OK
x-amzn-RequestId: 57a24279-88e8-11e5-a087-ab26ee53e16e
Content-Type: application/x-amz-json-1.1
Content-Length: 114

{
  "status": "Pending",
  "statusMessage": "Stopping Pending. Stopping to schedule commands in the deployment instances"
}
```

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java](#)
- [AWS SDK for JavaScript](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V2](#)

UpdateApplication

Changes the name of an application.

Request Syntax

```
{  
  "applicationName": "string",  
  "newApplicationName": "string"  
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters \(p. 178\)](#).

The request accepts the following data in JSON format.

applicationName (p. 128)

The current name of the application you want to change.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 100.

Required: No

newApplicationName (p. 128)

The new name to give the application.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 100.

Required: No

Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

Errors

For information about the errors that are common to all actions, see [Common Errors \(p. 180\)](#).

ApplicationAlreadyExistsException

An application with the specified name already exists with the applicable IAM user or AWS account.

HTTP Status Code: 400

ApplicationDoesNotExistException

The application does not exist with the applicable IAM user or AWS account.

HTTP Status Code: 400

ApplicationNameRequiredException

The minimum number of required application names was not specified.

HTTP Status Code: 400

InvalidApplicationNameException

The application name was specified in an invalid format.

HTTP Status Code: 400

Example

Sample Request

```
POST / HTTP/1.1
Host: codedeploy.us-east-1.amazonaws.com
Accept-Encoding: identity
Content-Length: 95
X-Amz-Target: CodeDeploy_20141006.UpdateApplication
X-Amz-Date: 20160707T025419Z
User-Agent: aws-cli/1.10.6 Python/2.7.9 Windows/7 botocore/1.3.28
Content-Type: application/x-amz-json-1.1
Authorization: AWS4-HMAC-SHA256 Credential=AKIAIOSFODNN7EXAMPLE/20160707/us-east-1/codedeploy/aws4_request,
  SignedHeaders=content-type;host;user-agent;x-amz-date;x-amz-target,
  Signature=39c3b3042cd2aEXAMPLE

{
  "applicationName": "TestApp-us-east-1",
  "newApplicationName": "TestApp-us-west-2"
}
```

Sample Response

```
HTTP/1.1 200 OK
x-amzn-RequestId: 4ccc9cf0-88c9-11e5-8ce3-2704437d0309
Content-Type: application/x-amz-json-1.1
Content-Length: 0
```

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java](#)
- [AWS SDK for JavaScript](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V2](#)

UpdateDeploymentGroup

Changes information about a deployment group.

Request Syntax

```
{
  "alarmConfiguration": {
    "alarms": [
      {
        "name": "string"
      }
    ],
    "enabled": boolean,
    "ignorePollAlarmFailure": boolean
  },
  "applicationName": "string",
  "autoRollbackConfiguration": {
    "enabled": boolean,
    "events": [ "string" ]
  },
  "autoScalingGroups": [ "string" ],
  "blueGreenDeploymentConfiguration": {
    "deploymentReadyOption": {
      "actionOnTimeout": "string",
      "waitTimeInMinutes": number
    },
    "greenFleetProvisioningOption": {
      "action": "string"
    },
    "terminateBlueInstancesOnDeploymentSuccess": {
      "action": "string",
      "terminationWaitTimeInMinutes": number
    }
  },
  "currentDeploymentGroupName": "string",
  "deploymentConfigName": "string",
  "deploymentStyle": {
    "deploymentOption": "string",
    "deploymentType": "string"
  },
  "ec2TagFilters": [
    {
      "Key": "string",
      "Type": "string",
      "Value": "string"
    }
  ],
  "loadBalancerInfo": {
    "elbInfoList": [
      {
        "name": "string"
      }
    ]
  },
  "newDeploymentGroupName": "string",
  "onPremisesInstanceTagFilters": [
    {
```

```
    "Key": "string",  
    "Type": "string",  
    "Value": "string"  
  }  
],  
"serviceRoleArn": "string",  
"triggerConfigurations": [  
  {  
    "triggerEvents": [ "string" ],  
    "triggerName": "string",  
    "triggerTargetArn": "string"  
  }  
]  
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters \(p. 178\)](#).

The request accepts the following data in JSON format.

alarmConfiguration (p. 130)

Information to add or change about Amazon CloudWatch alarms when the deployment group is updated.

Type: [AlarmConfiguration \(p. 140\)](#) object

Required: No

applicationName (p. 130)

The application name corresponding to the deployment group to update.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 100.

Required: Yes

autoRollbackConfiguration (p. 130)

Information for an automatic rollback configuration that is added or changed when a deployment group is updated.

Type: [AutoRollbackConfiguration \(p. 142\)](#) object

Required: No

autoScalingGroups (p. 130)

The replacement list of Auto Scaling groups to be included in the deployment group, if you want to change them. To keep the Auto Scaling groups, enter their names. To remove Auto Scaling groups, do not enter any Auto Scaling group names.

Type: array of Strings

Required: No

blueGreenDeploymentConfiguration (p. 130)

Information about blue/green deployment options for a deployment group.

Type: [BlueGreenDeploymentConfiguration \(p. 144\)](#) object

Required: No

currentDeploymentGroupName (p. 130)

The current name of the deployment group.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 100.

Required: Yes

deploymentConfigName (p. 130)

The replacement deployment configuration name to use, if you want to change it.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 100.

Required: No

deploymentStyle (p. 130)

Information about the type of deployment, either standard or blue/green, you want to run and whether to route deployment traffic behind a load balancer.

Type: [DeploymentStyle \(p. 154\)](#) object

Required: No

ec2TagFilters (p. 130)

The replacement set of Amazon EC2 tags on which to filter, if you want to change them. To keep the existing tags, enter their names. To remove tags, do not enter any tag names.

Type: array of [EC2TagFilter \(p. 156\)](#) objects

Required: No

loadBalancerInfo (p. 130)

Information about the load balancer used in a blue/green deployment.

Type: [LoadBalancerInfo \(p. 167\)](#) object

Required: No

newDeploymentGroupName (p. 130)

The new name of the deployment group, if you want to change it.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 100.

Required: No

onPremisesInstanceTagFilters (p. 130)

The replacement set of on-premises instance tags on which to filter, if you want to change them. To keep the existing tags, enter their names. To remove tags, do not enter any tag names.

Type: array of [TagFilter \(p. 174\)](#) objects

Required: No

serviceRoleArn (p. 130)

A replacement ARN for the service role, if you want to change it.

Type: String

Required: No

triggerConfigurations (p. 130)

Information about triggers to change when the deployment group is updated. For examples, see [Modify Triggers in an AWS CodeDeploy Deployment Group](#) in the AWS CodeDeploy User Guide.

Type: array of [TriggerConfig \(p. 177\)](#) objects

Required: No

Response Syntax

```
{
  "hooksNotCleanedUp": [
    {
      "hook": "string",
      "name": "string"
    }
  ]
}
```

```
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response. The following data is returned in JSON format by the service.

hooksNotCleanedUp (p. 132)

If the output contains no data, and the corresponding deployment group contained at least one Auto Scaling group, AWS CodeDeploy successfully removed all corresponding Auto Scaling lifecycle event hooks from the AWS account. If the output contains data, AWS CodeDeploy could not remove some Auto Scaling lifecycle event hooks from the AWS account.

Type: array of [AutoScalingGroup](#) (p. 143) objects

Errors

For information about the errors that are common to all actions, see [Common Errors](#) (p. 180).

AlarmsLimitExceededException

The maximum number of alarms for a deployment group (10) was exceeded.

HTTP Status Code: 400

ApplicationDoesNotExistException

The application does not exist with the applicable IAM user or AWS account.

HTTP Status Code: 400

ApplicationNameRequiredException

The minimum number of required application names was not specified.

HTTP Status Code: 400

DeploymentConfigDoesNotExistException

The deployment configuration does not exist with the applicable IAM user or AWS account.

HTTP Status Code: 400

DeploymentGroupAlreadyExistsException

A deployment group with the specified name already exists with the applicable IAM user or AWS account.

HTTP Status Code: 400

DeploymentGroupDoesNotExistException

The named deployment group does not exist with the applicable IAM user or AWS account.

HTTP Status Code: 400

DeploymentGroupNameRequiredException

The deployment group name was not specified.

HTTP Status Code: 400

InvalidAlarmConfigException

The format of the alarm configuration is invalid. Possible causes include:

- The alarm list is null.
- The alarm object is null.
- The alarm name is empty or null or exceeds the 255 character limit.
- Two alarms with the same name have been specified.
- The alarm configuration is enabled but the alarm list is empty.

HTTP Status Code: 400

InvalidApplicationNameException

The application name was specified in an invalid format.
HTTP Status Code: 400

InvalidAutoRollbackConfigException

The automatic rollback configuration was specified in an invalid format. For example, automatic rollback is enabled but an invalid triggering event type or no event types were listed.
HTTP Status Code: 400

InvalidAutoScalingGroupException

The Auto Scaling group was specified in an invalid format or does not exist.
HTTP Status Code: 400

InvalidBlueGreenDeploymentConfigurationException

The configuration for the blue/green deployment group was provided in an invalid format. For information about deployment configuration format, see [CreateDeploymentConfig \(p. 46\)](#).
HTTP Status Code: 400

InvalidDeploymentConfigNameException

The deployment configuration name was specified in an invalid format.
HTTP Status Code: 400

InvalidDeploymentGroupNameException

The deployment group name was specified in an invalid format.
HTTP Status Code: 400

InvalidDeploymentStyleException

An invalid deployment style was specified. Valid deployment types include "IN_PLACE" and "BLUE_GREEN". Valid deployment options for blue/green deployments include "WITH_TRAFFIC_CONTROL" and "WITHOUT_TRAFFIC_CONTROL".
HTTP Status Code: 400

InvalidEC2TagException

The tag was specified in an invalid format.
HTTP Status Code: 400

InvalidLoadBalancerInfoException

An invalid load balancer name, or no load balancer name, was specified.
HTTP Status Code: 400

InvalidRoleException

The service role ARN was specified in an invalid format. Or, if an Auto Scaling group was specified, the specified service role does not grant the appropriate permissions to Auto Scaling.
HTTP Status Code: 400

InvalidTagException

The specified tag was specified in an invalid format.
HTTP Status Code: 400

InvalidTriggerConfigException

The trigger was specified in an invalid format.
HTTP Status Code: 400

LifecycleHookLimitExceededException

The limit for lifecycle hooks was exceeded.
HTTP Status Code: 400

TriggerTargetsLimitExceededException

The maximum allowed number of triggers was exceeded.
HTTP Status Code: 400

Example

Sample Request

```
POST / HTTP/1.1
Host: codedeploy.us-east-1.amazonaws.com
Accept-Encoding: identity
Content-Length: 167
X-Amz-Target: CodeDeploy_20141006.UpdateDeploymentGroup
X-Amz-Date: 20160707T025726Z
User-Agent: aws-cli/1.10.6 Python/2.7.9 Windows/7 boto/2.7.0
Content-Type: application/x-amz-json-1.1
Authorization: AWS4-HMAC-SHA256 Credential=AKIAIOSFODNN7EXAMPLE/20160707/us-east-1/codedeploy/aws4_request,
SignedHeaders=content-type;host;user-agent;x-amz-date;x-amz-target,
Signature=39c3b3042cd2aEXAMPLE

{
  "applicationName": "TestApp-us-east-1",
  "newDeploymentGroupName": "dep-group-def-765",
  "currentDeploymentGroupName": "dep-group-def-456",
  "triggerConfigurations": [
    {
      "triggerEvents": [
        "DeploymentFailure"
      ],
      "triggerName": "Trigger-group-us-east-1-deploy-fail",
      "triggerTargetArn": "arn:aws:sns:us-east-1:80398EXAMPLE:us-east-1-deploy-fail"
    }
  ]
}
```

Sample Response

```
HTTP/1.1 200 OK
x-amzn-RequestId: 1bd3a202-88e9-11e5-a087-ab26ee53e16e
Content-Type: application/x-amz-json-1.1
Content-Length: 24

{
  "hooksNotCleanedUp": []
}
```

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS Command Line Interface](#)
- [AWS SDK for .NET](#)
- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java](#)

- [AWS SDK for JavaScript](#)
- [AWS SDK for PHP V3](#)
- [AWS SDK for Python](#)
- [AWS SDK for Ruby V2](#)

Data Types

The AWS CodeDeploy API contains several data types that various actions use. This section describes each data type in detail.

Note

The order of each element in a data type structure is not guaranteed. Applications should not assume a particular order.

The following data types are supported:

- [Alarm](#) (p. 139)
- [AlarmConfiguration](#) (p. 140)
- [ApplicationInfo](#) (p. 141)
- [AutoRollbackConfiguration](#) (p. 142)
- [AutoScalingGroup](#) (p. 143)
- [BlueGreenDeploymentConfiguration](#) (p. 144)
- [BlueInstanceTerminationOption](#) (p. 145)
- [DeploymentConfigInfo](#) (p. 146)
- [DeploymentGroupInfo](#) (p. 147)
- [DeploymentInfo](#) (p. 149)
- [DeploymentOverview](#) (p. 152)
- [DeploymentReadyOption](#) (p. 153)
- [DeploymentStyle](#) (p. 154)
- [Diagnostics](#) (p. 155)
- [EC2TagFilter](#) (p. 156)
- [ELBInfo](#) (p. 157)
- [ErrorInformation](#) (p. 158)
- [GenericRevisionInfo](#) (p. 160)
- [GitHubLocation](#) (p. 161)
- [GreenFleetProvisioningOption](#) (p. 162)
- [InstanceInfo](#) (p. 163)
- [InstanceSummary](#) (p. 164)
- [LifecycleEvent](#) (p. 166)
- [LoadBalancerInfo](#) (p. 167)
- [MinimumHealthyHosts](#) (p. 168)

- [RevisionInfo](#) (p. 169)
- [RevisionLocation](#) (p. 170)
- [RollbackInfo](#) (p. 171)
- [S3Location](#) (p. 172)
- [Tag](#) (p. 173)
- [TagFilter](#) (p. 174)
- [TargetInstances](#) (p. 175)
- [TimeRange](#) (p. 176)
- [TriggerConfig](#) (p. 177)

Alarm

Information about an alarm.

Contents

name

The name of the alarm. Maximum length is 255 characters. Each alarm name can be used only once in a list of alarms.

Type: String

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java](#)
- [AWS SDK for Ruby V2](#)

AlarmConfiguration

Information about alarms associated with the deployment group.

Contents

alarms

A list of alarms configured for the deployment group. A maximum of 10 alarms can be added to a deployment group.

Type: array of [Alarm \(p. 139\)](#) objects

Required: No

enabled

Indicates whether the alarm configuration is enabled.

Type: Boolean

Required: No

ignorePollAlarmFailure

Indicates whether a deployment should continue if information about the current state of alarms cannot be retrieved from Amazon CloudWatch. The default value is false.

- true: The deployment will proceed even if alarm status information can't be retrieved from Amazon CloudWatch.
- false: The deployment will stop if alarm status information can't be retrieved from Amazon CloudWatch.

Type: Boolean

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java](#)
- [AWS SDK for Ruby V2](#)

ApplicationInfo

Information about an application.

Contents

applicationId

The application ID.

Type: String

Required: No

applicationName

The application name.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 100.

Required: No

createTime

The time at which the application was created.

Type: Timestamp

Required: No

linkedToGitHub

True if the user has authenticated with GitHub for the specified application; otherwise, false.

Type: Boolean

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java](#)
- [AWS SDK for Ruby V2](#)

AutoRollbackConfiguration

Information about a configuration for automatically rolling back to a previous version of an application revision when a deployment doesn't complete successfully.

Contents

enabled

Indicates whether a defined automatic rollback configuration is currently enabled.

Type: Boolean

Required: No

events

The event type or types that trigger a rollback.

Type: array of Strings

Valid Values: `DEPLOYMENT_FAILURE` | `DEPLOYMENT_STOP_ON_ALARM` | `DEPLOYMENT_STOP_ON_REQUEST`

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java](#)
- [AWS SDK for Ruby V2](#)

AutoScalingGroup

Information about an Auto Scaling group.

Contents

hook

An Auto Scaling lifecycle event hook name.

Type: String

Required: No

name

The Auto Scaling group name.

Type: String

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java](#)
- [AWS SDK for Ruby V2](#)

BlueGreenDeploymentConfiguration

Information about blue/green deployment options for a deployment group.

Contents

deploymentReadyOption

Information about the action to take when newly provisioned instances are ready to receive traffic in a blue/green deployment.

Type: [DeploymentReadyOption](#) (p. 153) object

Required: No

greenFleetProvisioningOption

Information about how instances are provisioned for a replacement environment in a blue/green deployment.

Type: [GreenFleetProvisioningOption](#) (p. 162) object

Required: No

terminateBlueInstancesOnDeploymentSuccess

Information about whether to terminate instances in the original fleet during a blue/green deployment.

Type: [BlueInstanceTerminationOption](#) (p. 145) object

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java](#)
- [AWS SDK for Ruby V2](#)

BlueInstanceTerminationOption

Information about whether instances in the original environment are terminated when a blue/green deployment is successful.

Contents

action

The action to take on instances in the original environment after a successful blue/green deployment.

- **TERMINATE**: Instances are terminated after a specified wait time.
- **KEEP_ALIVE**: Instances are left running after they are deregistered from the load balancer and removed from the deployment group.

Type: String

Valid Values: `TERMINATE` | `KEEP_ALIVE`

Required: No

terminationWaitTimeInMinutes

The number of minutes to wait after a successful blue/green deployment before terminating instances from the original environment.

Type: Integer

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java](#)
- [AWS SDK for Ruby V2](#)

DeploymentConfigInfo

Information about a deployment configuration.

Contents

createTime

The time at which the deployment configuration was created.

Type: Timestamp

Required: No

deploymentConfigId

The deployment configuration ID.

Type: String

Required: No

deploymentConfigName

The deployment configuration name.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 100.

Required: No

minimumHealthyHosts

Information about the number or percentage of minimum healthy instance.

Type: [MinimumHealthyHosts](#) (p. 168) object

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java](#)
- [AWS SDK for Ruby V2](#)

DeploymentGroupInfo

Information about a deployment group.

Contents

alarmConfiguration

A list of alarms associated with the deployment group.

Type: [AlarmConfiguration \(p. 140\)](#) object

Required: No

applicationName

The application name.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 100.

Required: No

autoRollbackConfiguration

Information about the automatic rollback configuration associated with the deployment group.

Type: [AutoRollbackConfiguration \(p. 142\)](#) object

Required: No

autoScalingGroups

A list of associated Auto Scaling groups.

Type: array of [AutoScalingGroup \(p. 143\)](#) objects

Required: No

blueGreenDeploymentConfiguration

Information about blue/green deployment options for a deployment group.

Type: [BlueGreenDeploymentConfiguration \(p. 144\)](#) object

Required: No

deploymentConfigName

The deployment configuration name.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 100.

Required: No

deploymentGroupId

The deployment group ID.

Type: String

Required: No

deploymentGroupName

The deployment group name.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 100.

Required: No

deploymentStyle

Information about the type of deployment, either standard or blue/green, you want to run and whether to route deployment traffic behind a load balancer.

Type: [DeploymentStyle \(p. 154\)](#) object

Required: No

ec2TagFilters

The Amazon EC2 tags on which to filter.

Type: array of [EC2TagFilter \(p. 156\)](#) objects

Required: No

loadBalancerInfo

Information about the load balancer to use in a blue/green deployment.

Type: [LoadBalancerInfo \(p. 167\)](#) object

Required: No

onPremisesInstanceTagFilters

The on-premises instance tags on which to filter.

Type: array of [TagFilter \(p. 174\)](#) objects

Required: No

serviceRoleArn

A service role ARN.

Type: String

Required: No

targetRevision

Information about the deployment group's target revision, including type and location.

Type: [RevisionLocation \(p. 170\)](#) object

Required: No

triggerConfigurations

Information about triggers associated with the deployment group.

Type: array of [TriggerConfig \(p. 177\)](#) objects

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java](#)
- [AWS SDK for Ruby V2](#)

DeploymentInfo

Information about a deployment.

Contents

additionalDeploymentStatusInfo

Provides information about the results of a deployment, such as whether instances in the original environment in a blue/green deployment were not terminated.

Type: String

Required: No

applicationName

The application name.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 100.

Required: No

autoRollbackConfiguration

Information about the automatic rollback configuration associated with the deployment.

Type: [AutoRollbackConfiguration](#) (p. 142) object

Required: No

blueGreenDeploymentConfiguration

Information about blue/green deployment options for this deployment.

Type: [BlueGreenDeploymentConfiguration](#) (p. 144) object

Required: No

completeTime

A timestamp indicating when the deployment was complete.

Type: Timestamp

Required: No

createTime

A timestamp indicating when the deployment was created.

Type: Timestamp

Required: No

creator

The means by which the deployment was created:

- user: A user created the deployment.
- autoscaling: Auto Scaling created the deployment.
- codeDeployRollback: A rollback process created the deployment.

Type: String

Valid Values: `user` | `autoscaling` | `codeDeployRollback`

Required: No

deploymentConfigName

The deployment configuration name.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 100.

Required: No

deploymentGroupName

The deployment group name.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 100.

Required: No

deploymentId

The deployment ID.

Type: String

Required: No

deploymentOverview

A summary of the deployment status of the instances in the deployment.

Type: [DeploymentOverview](#) (p. 152) object

Required: No

deploymentStyle

Information about the type of deployment, either standard or blue/green, you want to run and whether to route deployment traffic behind a load balancer.

Type: [DeploymentStyle](#) (p. 154) object

Required: No

description

A comment about the deployment.

Type: String

Required: No

errorInformation

Information about any error associated with this deployment.

Type: [ErrorInformation](#) (p. 158) object

Required: No

ignoreApplicationStopFailures

If true, then if the deployment causes the ApplicationStop deployment lifecycle event to an instance to fail, the deployment to that instance will not be considered to have failed at that point and will continue on to the BeforeInstall deployment lifecycle event.

If false or not specified, then if the deployment causes the ApplicationStop deployment lifecycle event to an instance to fail, the deployment to that instance will stop, and the deployment to that instance will be considered to have failed.

Type: Boolean

Required: No

instanceTerminationWaitTimeStarted

Indicates whether the wait period set for the termination of instances in the original environment has started. Status is 'false' if the KEEP_ALIVE option is specified; otherwise, 'true' as soon as the termination wait period starts.

Type: Boolean

Required: No

loadBalancerInfo

Information about the load balancer used in this blue/green deployment.

Type: [LoadBalancerInfo](#) (p. 167) object

Required: No

revision

Information about the location of stored application artifacts and the service from which to retrieve them.

Type: [RevisionLocation](#) (p. 170) object

Required: No

rollbackInfo

Information about a deployment rollback.

Type: [RollbackInfo](#) (p. 171) object

Required: No

startTime

A timestamp indicating when the deployment was deployed to the deployment group.
In some cases, the reported value of the start time may be later than the complete time. This is due to differences in the clock settings of back-end servers that participate in the deployment process.

Type: Timestamp

Required: No

status

The current state of the deployment as a whole.

Type: String

Valid Values: `Created` | `Queued` | `InProgress` | `Succeeded` | `Failed` | `Stopped` | `Ready`

Required: No

targetInstances

Information about the instances that belong to the replacement environment in a blue/green deployment.

Type: [TargetInstances \(p. 175\)](#) object

Required: No

updateOutdatedInstancesOnly

Indicates whether only instances that are not running the latest application revision are to be deployed to.

Type: Boolean

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java](#)
- [AWS SDK for Ruby V2](#)

DeploymentOverview

Information about the deployment status of the instances in the deployment.

Contents

Failed

The number of instances in the deployment in a failed state.

Type: Long

Required: No

InProgress

The number of instances in which the deployment is in progress.

Type: Long

Required: No

Pending

The number of instances in the deployment in a pending state.

Type: Long

Required: No

Ready

The number of instances in a replacement environment ready to receive traffic in a blue/green deployment.

Type: Long

Required: No

Skipped

The number of instances in the deployment in a skipped state.

Type: Long

Required: No

Succeeded

The number of instances in the deployment to which revisions have been successfully deployed.

Type: Long

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java](#)
- [AWS SDK for Ruby V2](#)

DeploymentReadyOption

Information about how traffic is rerouted to instances in a replacement environment in a blue/green deployment.

Contents

actionOnTimeout

Information about when to reroute traffic from an original environment to a replacement environment in a blue/green deployment.

- **CONTINUE_DEPLOYMENT**: Register new instances with the load balancer immediately after the new application revision is installed on the instances in the replacement environment.
- **STOP_DEPLOYMENT**: Do not register new instances with load balancer unless traffic is rerouted manually. If traffic is not rerouted manually before the end of the specified wait period, the deployment status is changed to Stopped.

Type: String

Valid Values: `CONTINUE_DEPLOYMENT` | `STOP_DEPLOYMENT`

Required: No

waitTimeInMinutes

The number of minutes to wait before the status of a blue/green deployment changed to Stopped if rerouting is not started manually. Applies only to the `STOP_DEPLOYMENT` option for `actionOnTimeout`

Type: Integer

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java](#)
- [AWS SDK for Ruby V2](#)

DeploymentStyle

Information about the type of deployment, either standard or blue/green, you want to run and whether to route deployment traffic behind a load balancer.

Contents

deploymentOption

Indicates whether to route deployment traffic behind a load balancer.

Type: String

Valid Values: `WITH_TRAFFIC_CONTROL` | `WITHOUT_TRAFFIC_CONTROL`

Required: No

deploymentType

Indicates whether to run a standard deployment or a blue/green deployment.

Type: String

Valid Values: `IN_PLACE` | `BLUE_GREEN`

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java](#)
- [AWS SDK for Ruby V2](#)

Diagnostics

Diagnostic information about executable scripts that are part of a deployment.

Contents

errorCode

The associated error code:

- **Success**: The specified script ran.
- **ScriptMissing**: The specified script was not found in the specified location.
- **ScriptNotExecutable**: The specified script is not a recognized executable file type.
- **ScriptTimedOut**: The specified script did not finish running in the specified time period.
- **ScriptFailed**: The specified script failed to run as expected.
- **UnknownError**: The specified script did not run for an unknown reason.

Type: String

Valid Values: `Success` | `ScriptMissing` | `ScriptNotExecutable` | `ScriptTimedOut`
| `ScriptFailed` | `UnknownError`

Required: No

logTail

The last portion of the diagnostic log.

If available, AWS CodeDeploy returns up to the last 4 KB of the diagnostic log.

Type: String

Required: No

message

The message associated with the error.

Type: String

Required: No

scriptName

The name of the script.

Type: String

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java](#)
- [AWS SDK for Ruby V2](#)

EC2TagFilter

Information about a tag filter.

Contents

Key

The tag filter key.

Type: String

Required: No

Type

The tag filter type:

- KEY_ONLY: Key only.
- VALUE_ONLY: Value only.
- KEY_AND_VALUE: Key and value.

Type: String

Valid Values: KEY_ONLY | VALUE_ONLY | KEY_AND_VALUE

Required: No

Value

The tag filter value.

Type: String

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java](#)
- [AWS SDK for Ruby V2](#)

ELBInfo

Information about a load balancer in Elastic Load Balancing to use in a blue/green deployment.

Contents

name

The name of the load balancer that will be used to route traffic from original instances to replacement instances in a blue/green deployment.

Type: String

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java](#)
- [AWS SDK for Ruby V2](#)

ErrorInformation

Information about a deployment error.

Contents

code

For information about additional error codes, see [Error Codes for AWS CodeDeploy](#) in the [AWS CodeDeploy User Guide](#).

The error code:

- **APPLICATION_MISSING**: The application was missing. This error code will most likely be raised if the application is deleted after the deployment is created but before it is started.
- **DEPLOYMENT_GROUP_MISSING**: The deployment group was missing. This error code will most likely be raised if the deployment group is deleted after the deployment is created but before it is started.
- **HEALTH_CONSTRAINTS**: The deployment failed on too many instances to be successfully deployed within the instance health constraints specified.
- **HEALTH_CONSTRAINTS_INVALID**: The revision cannot be successfully deployed within the instance health constraints specified.
- **IAM_ROLE_MISSING**: The service role cannot be accessed.
- **IAM_ROLE_PERMISSIONS**: The service role does not have the correct permissions.
- **INTERNAL_ERROR**: There was an internal error.
- **NO_EC2_SUBSCRIPTION**: The calling account is not subscribed to the Amazon EC2 service.
- **NO_INSTANCES**: No instance were specified, or no instance can be found.
- **OVER_MAX_INSTANCES**: The maximum number of instance was exceeded.
- **THROTTLED**: The operation was throttled because the calling account exceeded the throttling limits of one or more AWS services.
- **TIMEOUT**: The deployment has timed out.
- **REVISION_MISSING**: The revision ID was missing. This error code will most likely be raised if the revision is deleted after the deployment is created but before it is started.

Type: String

Valid Values: `DEPLOYMENT_GROUP_MISSING` | `APPLICATION_MISSING` | `REVISION_MISSING` | `IAM_ROLE_MISSING` | `IAM_ROLE_PERMISSIONS` | `NO_EC2_SUBSCRIPTION` | `OVER_MAX_INSTANCES` | `NO_INSTANCES` | `TIMEOUT` | `HEALTH_CONSTRAINTS_INVALID` | `HEALTH_CONSTRAINTS` | `INTERNAL_ERROR` | `THROTTLED` | `ALARM_ACTIVE` | `AGENT_ISSUE` | `AUTO_SCALING_IAM_ROLE_PERMISSIONS` | `AUTO_SCALING_CONFIGURATION` | `MANUAL_STOP`

Required: No

message

An accompanying error message.

Type: String

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java](#)

- [AWS SDK for Ruby V2](#)

GenericRevisionInfo

Information about an application revision.

Contents

deploymentGroups

The deployment groups for which this is the current target revision.

Type: array of Strings

Length Constraints: Minimum length of 1. Maximum length of 100.

Required: No

description

A comment about the revision.

Type: String

Required: No

firstUsedTime

When the revision was first used by AWS CodeDeploy.

Type: Timestamp

Required: No

lastUsedTime

When the revision was last used by AWS CodeDeploy.

Type: Timestamp

Required: No

registerTime

When the revision was registered with AWS CodeDeploy.

Type: Timestamp

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java](#)
- [AWS SDK for Ruby V2](#)

GitHubLocation

Information about the location of application artifacts stored in GitHub.

Contents

commitId

The SHA1 commit ID of the GitHub commit that represents the bundled artifacts for the application revision.

Type: String

Required: No

repository

The GitHub account and repository pair that stores a reference to the commit that represents the bundled artifacts for the application revision.

Specified as account/repository.

Type: String

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java](#)
- [AWS SDK for Ruby V2](#)

GreenFleetProvisioningOption

Information about the instances that belong to the replacement environment in a blue/green deployment.

Contents

action

The method used to add instances to a replacement environment.

- `DISCOVER_EXISTING`: Use instances that already exist or will be created manually.
- `COPY_AUTO_SCALING_GROUP`: Use settings from a specified Auto Scaling group to define and create instances in a new Auto Scaling group.

Type: String

Valid Values: `DISCOVER_EXISTING` | `COPY_AUTO_SCALING_GROUP`

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java](#)
- [AWS SDK for Ruby V2](#)

InstanceInfo

Information about an on-premises instance.

Contents

deregisterTime

If the on-premises instance was deregistered, the time at which the on-premises instance was deregistered.

Type: Timestamp

Required: No

iamSessionArn

The ARN of the IAM session associated with the on-premises instance.

Type: String

Required: No

iamUserArn

The IAM user ARN associated with the on-premises instance.

Type: String

Required: No

instanceArn

The ARN of the on-premises instance.

Type: String

Required: No

instanceName

The name of the on-premises instance.

Type: String

Required: No

registerTime

The time at which the on-premises instance was registered.

Type: Timestamp

Required: No

tags

The tags currently associated with the on-premises instance.

Type: array of [Tag \(p. 173\)](#) objects

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java](#)
- [AWS SDK for Ruby V2](#)

InstanceSummary

Information about an instance in a deployment.

Contents

deploymentId

The deployment ID.

Type: String

Required: No

instanceId

The instance ID.

Type: String

Required: No

instanceType

Information about which environment an instance belongs to in a blue/green deployment.

- BLUE: The instance is part of the original environment.
- GREEN: The instance is part of the replacement environment.

Type: String

Valid Values: Blue | Green

Required: No

lastUpdatedAt

A timestamp indicating when the instance information was last updated.

Type: Timestamp

Required: No

lifecycleEvents

A list of lifecycle events for this instance.

Type: array of [LifecycleEvent](#) (p. 166) objects

Required: No

status

The deployment status for this instance:

- Pending: The deployment is pending for this instance.
- In Progress: The deployment is in progress for this instance.
- Succeeded: The deployment has succeeded for this instance.
- Failed: The deployment has failed for this instance.
- Skipped: The deployment has been skipped for this instance.
- Unknown: The deployment status is unknown for this instance.

Type: String

Valid Values: Pending | InProgress | Succeeded | Failed | Skipped | Unknown | Ready

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java](#)

- [AWS SDK for Ruby V2](#)

LifecycleEvent

Information about a deployment lifecycle event.

Contents

diagnostics

Diagnostic information about the deployment lifecycle event.

Type: [Diagnostics \(p. 155\)](#) object

Required: No

endTime

A timestamp indicating when the deployment lifecycle event ended.

Type: Timestamp

Required: No

lifecycleEventName

The deployment lifecycle event name, such as ApplicationStop, BeforeInstall, AfterInstall, ApplicationStart, or ValidateService.

Type: String

Required: No

startTime

A timestamp indicating when the deployment lifecycle event started.

Type: Timestamp

Required: No

status

The deployment lifecycle event status:

- Pending: The deployment lifecycle event is pending.
- InProgress: The deployment lifecycle event is in progress.
- Succeeded: The deployment lifecycle event ran successfully.
- Failed: The deployment lifecycle event has failed.
- Skipped: The deployment lifecycle event has been skipped.
- Unknown: The deployment lifecycle event is unknown.

Type: String

Valid Values: `Pending` | `InProgress` | `Succeeded` | `Failed` | `Skipped` | `Unknown`

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java](#)
- [AWS SDK for Ruby V2](#)

LoadBalancerInfo

Information about the load balancer used in a blue/green deployment.

Contents

elbInfoList

An array containing information about the load balancer in Elastic Load Balancing to use in a blue/green deployment.

Type: array of [ELBInfo \(p. 157\)](#) objects

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java](#)
- [AWS SDK for Ruby V2](#)

MinimumHealthyHosts

Information about minimum healthy instance.

Contents

type

The minimum healthy instance type:

- **HOST_COUNT**: The minimum number of healthy instance as an absolute value.
- **FLEET_PERCENT**: The minimum number of healthy instance as a percentage of the total number of instance in the deployment.

In an example of nine instance, if a **HOST_COUNT** of six is specified, deploy to up to three instances at a time. The deployment will be successful if six or more instances are deployed to successfully; otherwise, the deployment fails. If a **FLEET_PERCENT** of 40 is specified, deploy to up to five instance at a time. The deployment will be successful if four or more instance are deployed to successfully; otherwise, the deployment fails.

Note

In a call to the get deployment configuration operation, `CodeDeployDefault.OneAtATime` will return a minimum healthy instance type of `MOST_CONCURRENCY` and a value of 1. This means a deployment to only one instance at a time. (You cannot set the type to `MOST_CONCURRENCY`, only to `HOST_COUNT` or `FLEET_PERCENT`.) In addition, with `CodeDeployDefault.OneAtATime`, AWS CodeDeploy will try to ensure that all instances but one are kept in a healthy state during the deployment. Although this allows one instance at a time to be taken offline for a new deployment, it also means that if the deployment to the last instance fails, the overall deployment still succeeds.

Type: String

Valid Values: `HOST_COUNT` | `FLEET_PERCENT`

Required: No

value

The minimum healthy instance value.

Type: Integer

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java](#)
- [AWS SDK for Ruby V2](#)

RevisionInfo

Information about an application revision.

Contents

genericRevisionInfo

Information about an application revision, including usage details and associated deployment groups.

Type: [GenericRevisionInfo \(p. 160\)](#) object

Required: No

revisionLocation

Information about the location and type of an application revision.

Type: [RevisionLocation \(p. 170\)](#) object

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java](#)
- [AWS SDK for Ruby V2](#)

RevisionLocation

Information about the location of an application revision.

Contents

gitHubLocation

Information about the location of application artifacts stored in GitHub.

Type: [GitHubLocation](#) (p. 161) object

Required: No

revisionType

The type of application revision:

- S3: An application revision stored in Amazon S3.
- GitHub: An application revision stored in GitHub.

Type: String

Valid Values: `s3` | `GitHub`

Required: No

s3Location

Information about the location of application artifacts stored in Amazon S3.

Type: [S3Location](#) (p. 172) object

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java](#)
- [AWS SDK for Ruby V2](#)

RollbackInfo

Information about a deployment rollback.

Contents

rollbackDeploymentId

The ID of the deployment rollback.

Type: String

Required: No

rollbackMessage

Information describing the status of a deployment rollback; for example, whether the deployment can't be rolled back, is in progress, failed, or succeeded.

Type: String

Required: No

rollbackTriggeringDeploymentId

The deployment ID of the deployment that was underway and triggered a rollback deployment because it failed or was stopped.

Type: String

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java](#)
- [AWS SDK for Ruby V2](#)

S3Location

Information about the location of application artifacts stored in Amazon S3.

Contents

bucket

The name of the Amazon S3 bucket where the application revision is stored.

Type: String

Required: No

bundleType

The file type of the application revision. Must be one of the following:

- tar: A tar archive file.
- tgz: A compressed tar archive file.
- zip: A zip archive file.

Type: String

Valid Values: `tar` | `tgz` | `zip`

Required: No

eTag

The ETag of the Amazon S3 object that represents the bundled artifacts for the application revision.

If the ETag is not specified as an input parameter, ETag validation of the object will be skipped.

Type: String

Required: No

key

The name of the Amazon S3 object that represents the bundled artifacts for the application revision.

Type: String

Required: No

version

A specific version of the Amazon S3 object that represents the bundled artifacts for the application revision.

If the version is not specified, the system will use the most recent version by default.

Type: String

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java](#)
- [AWS SDK for Ruby V2](#)

Tag

Information about a tag.

Contents

Key

The tag's key.

Type: String

Required: No

Value

The tag's value.

Type: String

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java](#)
- [AWS SDK for Ruby V2](#)

TagFilter

Information about an on-premises instance tag filter.

Contents

Key

The on-premises instance tag filter key.

Type: String

Required: No

Type

The on-premises instance tag filter type:

- KEY_ONLY: Key only.
- VALUE_ONLY: Value only.
- KEY_AND_VALUE: Key and value.

Type: String

Valid Values: KEY_ONLY | VALUE_ONLY | KEY_AND_VALUE

Required: No

Value

The on-premises instance tag filter value.

Type: String

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java](#)
- [AWS SDK for Ruby V2](#)

TargetInstances

Information about the instances to be used in the replacement environment in a blue/green deployment.

Contents

autoScalingGroups

The names of one or more Auto Scaling groups to identify a replacement environment for a blue/green deployment.

Type: array of Strings

Required: No

tagFilters

The tag filter key, type, and value used to identify Amazon EC2 instances in a replacement environment for a blue/green deployment.

Type: array of [EC2TagFilter \(p. 156\)](#) objects

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java](#)
- [AWS SDK for Ruby V2](#)

TimeRange

Information about a time range.

Contents

end

The end time of the time range.

Note

Specify null to leave the end time open-ended.

Type: Timestamp

Required: No

start

The start time of the time range.

Note

Specify null to leave the start time open-ended.

Type: Timestamp

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java](#)
- [AWS SDK for Ruby V2](#)

TriggerConfig

Information about notification triggers for the deployment group.

Contents

triggerEvents

The event type or types for which notifications are triggered.

Type: array of Strings

Valid Values: `DeploymentStart` | `DeploymentSuccess` | `DeploymentFailure` | `DeploymentStop` | `DeploymentRollback` | `DeploymentReady` | `InstanceStart` | `InstanceSuccess` | `InstanceFailure` | `InstanceReady`

Required: No

triggerName

The name of the notification trigger.

Type: String

Required: No

triggerTargetArn

The ARN of the Amazon Simple Notification Service topic through which notifications about deployment or instance events are sent.

Type: String

Required: No

See Also

For more information about using this API in one of the language-specific AWS SDKs, see the following:

- [AWS SDK for C++](#)
- [AWS SDK for Go](#)
- [AWS SDK for Java](#)
- [AWS SDK for Ruby V2](#)

Common Parameters

The following table lists the parameters that all actions use for signing Signature Version 4 requests. Any action-specific parameters are listed in the topic for that action. To view sample requests, see [Examples of Signed Signature Version 4 Requests](#) or [Signature Version 4 Test Suite](#) in the *Amazon Web Services General Reference*.

Action

The action to be performed.

Type: string

Required: Yes

Version

The API version that the request is written for, expressed in the format YYYY-MM-DD.

Type: string

Required: Yes

X-Amz-Algorithm

The hash algorithm that you used to create the request signature.

Condition: Specify this parameter when you include authentication information in a query string instead of in the HTTP authorization header.

Type: string

Valid Values: `AWS4-HMAC-SHA256`

Required: Conditional

X-Amz-Credential

The credential scope value, which is a string that includes your access key, the date, the region you are targeting, the service you are requesting, and a termination string ("aws4_request"). The value is expressed in the following format: `access_key/YYYYMMDD/region/service/aws4_request`.

For more information, see [Task 2: Create a String to Sign for Signature Version 4](#) in the *Amazon Web Services General Reference*.

Condition: Specify this parameter when you include authentication information in a query string instead of in the HTTP authorization header.

Type: string

Required: Conditional

X-Amz-Date

The date that is used to create the signature. The format must be ISO 8601 basic format (YYYYMMDD'T'HHMMSS'Z'). For example, the following date time is a valid X-Amz-Date value: 20120325T120000Z.

Condition: X-Amz-Date is optional for all requests; it can be used to override the date used for signing requests. If the Date header is specified in the ISO 8601 basic format, X-Amz-Date is not required. When X-Amz-Date is used, it always overrides the value of the Date header. For more information, see [Handling Dates in Signature Version 4](#) in the *Amazon Web Services General Reference*.

Type: string

Required: Conditional

X-Amz-Security-Token

The temporary security token that was obtained through a call to AWS Security Token Service. For a list of services that support AWS Security Token Service, go to [Using Temporary Security Credentials to Access AWS](#) in *Using Temporary Security Credentials*.

Condition: If you're using temporary security credentials from the AWS Security Token Service, you must include the security token.

Type: string

Required: Conditional

X-Amz-Signature

Specifies the hex-encoded signature that was calculated from the string to sign and the derived signing key.

Condition: Specify this parameter when you include authentication information in a query string instead of in the HTTP authorization header.

Type: string

Required: Conditional

X-Amz-SignedHeaders

Specifies all the HTTP headers that were included as part of the canonical request. For more information about specifying signed headers, see [Task 1: Create a Canonical Request For Signature Version 4](#) in the *Amazon Web Services General Reference*.

Condition: Specify this parameter when you include authentication information in a query string instead of in the HTTP authorization header.

Type: string

Required: Conditional

Common Errors

This section lists the common errors that all actions return. Any action-specific errors are listed in the topic for the action.

IncompleteSignature

The request signature does not conform to AWS standards.

HTTP Status Code: 400

InternalFailure

The request processing has failed because of an unknown error, exception or failure.

HTTP Status Code: 500

InvalidAction

The action or operation requested is invalid. Verify that the action is typed correctly.

HTTP Status Code: 400

InvalidClientTokenId

The X.509 certificate or AWS access key ID provided does not exist in our records.

HTTP Status Code: 403

InvalidParameterCombination

Parameters that must not be used together were used together.

HTTP Status Code: 400

InvalidParameterValue

An invalid or out-of-range value was supplied for the input parameter.

HTTP Status Code: 400

InvalidQueryParameter

The AWS query string is malformed or does not adhere to AWS standards.

HTTP Status Code: 400

MalformedQueryString

The query string contains a syntax error.

HTTP Status Code: 404

MissingAction

The request is missing an action or a required parameter.

HTTP Status Code: 400

MissingAuthenticationToken

The request must contain either a valid (registered) AWS access key ID or X.509 certificate.

HTTP Status Code: 403

MissingParameter

A required parameter for the specified action is not supplied.

HTTP Status Code: 400

OptInRequired

The AWS access key ID needs a subscription for the service.

HTTP Status Code: 403

RequestExpired

The request reached the service more than 15 minutes after the date stamp on the request or more than 15 minutes after the request expiration date (such as for pre-signed URLs), or the date stamp on the request is more than 15 minutes in the future.

HTTP Status Code: 400

ServiceUnavailable

The request has failed due to a temporary failure of the server.

HTTP Status Code: 503

Throttling

The request was denied due to request throttling.

HTTP Status Code: 400

ValidationError

The input fails to satisfy the constraints specified by an AWS service.

HTTP Status Code: 400